

**Keyboard and pointing devices**

Spill-resistant standard keyboard w/o touchstick  
 Number of keyboard keys: 104, Keyboard pitch: 19.0 mm, Keyboard stroke: 1.7 mm  
 Touchpad with two mouse buttons  
 Status LED  
 Application buttons  
 Power Button

**Wireless technologies**

**Antennas** 2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional  
**Bluetooth** v4.0  
**WLAN encryption** WEP, WPA, WPA2  
**WLAN notes** Import and usage according to country-specific regulations.  
**WiDi support** Yes (with Intel W-LAN)

**Power supply**

**AC Adapter** 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter  
 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology  
 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.250 kg, 108x46x30 mm  
 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technology, 0.340 kg, 140x56x28 mm  
 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, (grounded) AC-Adapter

**1st battery options**

Li-Ion battery 6-cell, 5,600/5,800 mAh, 63 Wh  
 Li-Ion battery 6-cell, 6,400/6,700 mAh, 72 Wh  
 Li-Ion battery 6-cell, 4,500 mAh, 49 Wh

**Runtime 1st battery**

up to 11h 20 min, Bapco® MobileMark2007 Productivity Workload, Win7 OS

**Noise emission**

**Noise emission** Please refer to the Eco Declaration

**Dimensions / Weight / Environmental**

**Dimensions (W x D x H)** 374 x 250 x 24.2 - 31.4 mm  
 14.72 x 9.84 x 0.95 - 1.23 inch  
**Weight** from 2.2 kg  
**Weight (lbs)** from 4.9 lbs  
**Weight notes** Incl. weight saver. Weight may vary depending on actual configuration.  
**Operating ambient temperature** 5 - 35 °C (41 - 95 °F)  
**Operating relative humidity** 20 - 80 %

**Compliance**

**Germany** GS (Full HD Display only)  
**Europe** CE  
 CB  
**Global** RoHS (Restriction of hazardous substances)  
 WEEE (Waste electrical and electronic equipment)  
 ENERGY STAR® 6.0  
 EPEAT® Gold (dedicated regions)  
 Microsoft Operating Systems (HCT / HCL entry / WHQL)

**Compliance link**

<http://globalsp.ts.fujitsu.com/sites/certificates>

**Additional Software**

**Additional software (preinstalled)** Adobe® Reader® (pdf reader)  
 Fujitsu LIFEBOOK Application Panel  
 Fujitsu Display Manager  
 Power Saving Utility  
 Fujitsu Plugfree Network (network management utility)  
 EasyGuide online user documentation  
 McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version)  
 Microsoft Office (buy license to activate the pre-installed Microsoft Office)  
 Win7: Fujitsu Recovery (hard disk based recovery)  
 Win8.1: Microsoft Push Button Recovery (hard disk based recovery)

**Additional Software**

**Additional software (optional)** Drivers & Utilities DVD (DUDVD)  
 Connection manager (optional with 4G/LTE or 3G/UMTS)  
 CyberLink Power2Go DVD (playback software for DVD)  
 CyberLink YouCam (webcam software)

**Manageability**

**Manageability technology** DeskUpdate Driver management  
 PXE 2.1 Boot code  
 Wake-on-LAN  
 Wake up from S5 (off mode)

**Manageability software** DeskView Client  
 DeskView Instant BIOS Management

**DeskView components** BIOS Management  
 Alarm Management  
 Driver Management  
 Security Management  
 Inventory Management

**Supported standards** WMI (Windows Management Instrumentation)  
 PXE (Preboot Execution Environment)  
 DMI (Desktop Management Interface)  
 WBEM (Web Based Enterprise Management)  
 SMBIOS (System Management BIOS)  
 CIM (Common Information Model)  
 BootP (made4you)

**Manageability link** <http://www.fujitsu.com/fts/manageability>

**Security**

**Physical Security** Kensington Lock support

**System and BIOS Security** Absolute Persistence® technology capable BIOS  
 EraseDisk (optional)  
 Optional: Trusted platform module (TPM 1.2)

**User Security** Hard disk password  
 Access protection via internal SmartCard reader (optional)  
 User and supervisor BIOS password  
 Workplace Protect (secure authentication solution)  
 Embedded fingerprint sensor (optional)  
 Smartcard reader (optional)  
 SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access protection


**Warranty**

**Warranty period** 1 year (for countries in EMEA)  
**Warranty type** Collect & Return Service / Bring-in Service (depending on country)  
**Warranty Terms & Conditions** <http://support.ts.fujitsu.com/warranty>  
**Product Support Services - the perfect extension**  
**Recommended Service** 9x5, Onsite Response Time: Next Business Day  
**Spare Parts availability** 5 years after end of product life  
**Service Weblink** <http://ts.fujitsu.com/Supportservice>



notebookcheck.com

notebookcheck test result: good,  
 FUJITSU Notebook LIFEBOOK  
 E554,  
 notebookcheck.com - Germany  
 December 2014



## Recommended Accessories


Port Replicator for LIFEBOOK U745, T7, E5, E7 Series and CELSIUS H730, H760



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:  
S26391-F1337-L109

AC Adapter LIFEBOOK or STYLISTIC



Recharge your notebook or tablet at work, at home or on the road with a second power source easily. Depending on your device you can choose from various AC Adapters ranging from a 2-pin or 3-pin, a slim and light or standard adapter, or even the innovative 0-Watt AC Adapter.

Order Code:  
S26391-F1386-L510

Prestige Case 15



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. Through the nylon pockets you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code:  
S26391-F1194-L60


Weight Saver for Modular Bay



When you are on the road sometimes it's important to economize on the weight of your notebook. Your Fujitsu LIFEBOOK's modular bay grants you the flexibility to use a Weight Saver to minimize the weight of your notebook when you don't need your other modular bay accessories.

Order Code:  
S26391-F1244-L400

Second Hard Disk Drive or SSD Carrier for Modular Bay



Modern business generates more and more data everyday so you may find yourself needing some extra storage space for critical data. Extend your storage with this 2nd HDD or SSD option by simply sliding this carrier into the modular bay slot on your Fujitsu LIFEBOOK. Choose the storage capacity to suit your needs and order separately from the list of options.


Order Code:  
S26391-F1244-L709

Wireless Notebook Mouse W1610




The Wireless Notebook Mouse W1610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the W1610 wireless mouse is well suited to all environments.

Order Code:  
S26381-K460-L100



# More information



**Fujitsu OPTIMIZATION Services**

In addition to FUJITSU Notebook LIFEBOOK E554, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best-in-services, know-how and worldwide partnerships.

**Fujitsu Portfolio**  
Build on industry standards. Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

**Computing Products**  
[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

**Software**  
[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Notebook LIFEBOOK E554, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/mobile](http://www.fujitsu.com/fts/mobile)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH


## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.



**CONTACT**  
Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2016-07-04 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH




Превод от английски език

Лого CE

Лого Фуджицу

### ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

Вид на продукта **Професионални ноутбуци + Аксесоари**  
Име на Марка **Фуджицу (FUJITSU)**  
Име на продукта **LIFEBOOK E554 (може да има допълнителни суфикси)**  
модел/вид реф. за сертификация: E554  
Адрес **Фуджицу Текнолоджи Солушънс ГмБХ**  
**Мюнхен, Германия**  
**Fujitsu Technology Solutions GmbH**  
**Mies-van-der-Rohe-Straße 8**  
**D-80807 Munich, Germany**



Тази декларация за съответствие е издадена на пълната отговорност на Фуджицу Текнолоджи Солушънс ГмБХ.

Декларацията за съответствие е приложима само, ако продукта включва безжична технология.

Продуктът отговаря на изискванията на следните Европейски директиви:

- 1999/5/ЕО** Директива на Европейския парламент и на Съвета от Март 1999 година относно радионавигационното оборудване и далекосъобщителното крайно оборудване и взаимното признаване на тяхното съответствие
- 2009/125/ЕО** Директива на Европейския парламент и Съвета за създаване на рамка за определяне на изискванията за екодизайн към продукти, свързани с енергопотреблението
- 2011/65/ЕО** Директива на Европейския парламент и Съвета относно ограничението за употребата на определени опасни вещества в електрическото и електронното оборудване

Година на първа маркировка: 2014



Аугсбург, 2016-04-22 Подпис /не се чете/:  
Дитер Хейс [Dieter Heiss]

Вице Президент Клиенти  
компютърни устройства

Подпис [не се чете]  
Клаус-Йоаким Крацер [Klaus-Joachim  
Kratzer]  
Вице президент  
Мениджмънт качество и производство



Основен документ: ZPM-14006-PR01- ICT01-02



Лого CE

Лого Фуджицу

Име на продукта **LIFEBOOK E554** (може да има допълнителни суфикси)

Продуктът отговаря на изискванията на следните Европейски директиви:

1999/5/ЕО

Директива на Европейския парламент и на Съвета от Март 1999 година относно радионавигационното оборудване и далекосъобщителното крайно оборудване и взаимното признаване на тяхното съответствие.

Съответствието се доказва с прилагане на следните стандарти:

**EN 55022 : 2010 (4)**  
**EN 55024 : 2010 (4)**  
**EN 61000-3-2 : 2014**  
**EN 61000-3-3 : 2013**  
**EN 62311 : 2008 (6)**  
**EN 300 328 V1.8.1 : 2012-06 (1)**  
**EN 300 440-2 V1.4.1 : 2010-08 (7)**  
**EN 301 489-1:V1.9.2 : 2011-12 (1)(2)(3)(7)**  
**EN 301 489-17 V2.2.1 : 2012-09 (1)(2)**  
**EN 301 489-24 V1.5.1 : 2010-10 (3)**  
**EN 301 489-3 V1.6.1 : 2013-08 (7)**  
**EN 301 489-7 V1.3.1 : 2005-11 (3)**  
**EN 301 511 V9.0.2 : 2003-03 (3)**  
**EN 301 893 V1.7.1 : 2012-06 (2)**  
**EN 301 908-1 V6.2.1 : 2013-04 (3)**  
**EN 301 908-13 V6.2.1 : 2014-07 (3)**  
**EN 301 908-2 V6.2.1 : 2014-07 (3)**  
**EN 60950-1 / A1 : 2010**  
**EN 60950-1 / A11 : 2009**  
**EN 60950-1 / A12 : 2011**  
**EN 60950-1 / A2 : 2013**  
**EN 60950-1 / AC : 2011**  
**EN 60950-1 : 2006**  
**EN 62479 : 2010 (5)**

(1) в случай че предаването на данни, работи в честотната лента от 2,4 GHz

(2) в случай че предаването на данни, работи в честотната лента от 5.0GHz

(3) в случай че оборудване включва UMTS / GSM и / или LTE

(4) ако продуктът се използва като обикновено технологично оборудване 2014/35/ЕС и 2014/30/ЕС, са приложим

(5) ако емисиите на продукта са общо под 20mW

(6) ако емисиите на продукта са общо над 20mW

(7) в случай че оборудването включва GPS, NFC и / или RFID

Продуктът също така е в съответствие с препоръката на ЕС 1999/519/ЕО.

изменение към основен документ  
дата на издаване 2016-06-09



Име на продукта **LIFEBOOK E554** (може да има допълнителни суфикси)

2011/125/ЕО

Директива на Европейския парламент и на Съвета за създаване на рамка за определяне на изискванията за свързаните с енергопотреблението продукти за екодизайн,

Съответствието се доказва с прилагане на следните стандарти:  
**ЕС №1275/2008**  
**ЕН 50564 : 2011**

2011/65/ЕС

Директива на Европейския парламент и на Съвета относно ограничението на употребата на определени опасни вещества в електрическото и електронното оборудване.

Съответствието се доказва с прилагане на следния стандарт:  
**ЕН 50581 : 2012**

изменение към основен документ  
дата на издаване 2016-04-22

2-2

*Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Декларация за съответствие /. Преводът се състои от 3 стр.*

Преводач: Мила Радмилова Райковска

подпис: ..... /печат/



Варна



### Declaration of Conformity

**Product Type** Professional Notebooks+Accessories  
**Brand Name** FUJITSU  
**Product Name** LIFEBOOK E554 (maybe followed by suffixes)  
 model/type ref. of certification: E554

**Address** Fujitsu Technology Solutions GmbH  
 Mies-van-der-Rohe-Straße 8  
 D-80807 Munich, Germany

This declaration of conformity is issued under the sole responsibility of Fujitsu Technology Solutions GmbH.

This declaration of conformity is applicable only if the product includes wireless technology.

The product complies with the requirements of the following European directives:

- 1999/5/EC** Directive of the European Parliament and of the Council of March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.
- 2009/125/EC** Directive of the European Parliament and of the Council establishing a framework for the setting of ecodesign requirements for energy-related products.
- 2011/65/EC** Directive of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Year of the first marking : 2014

Augsburg, 2016-04-22

\_\_\_\_\_  
 Dieter Heiss  
 Vice President Client Computing Devices

\_\_\_\_\_  
 Klaus-Joachim Kratzer  
 Vice President  
 Quality Management & Product







Product Name **LIFEBOOK E554** (maybe followed by suffixes)

The product complies with the requirements of the following European directives:


**1999/5/EC** Directive of the European Parliament and of the Council of March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.

Compliance was proved by the application of the following standards:

- EN 55022 : 2010 (4)
- EN 55024 : 2010 (4)
- EN 61000-3-2 : 2014
- EN 61000-3-3 : 2013
- EN 62311 : 2008 (6)
- EN 300 328 V1.8.1 : 2012-06 (1)
- EN 300 440-2 V1.4.1 : 2010-08 (7)
- EN 301 489-1:V1.9.2 : 2011-12 (1)(2)(3)(7)
- EN 301 489-17 V2.2.1 : 2012-09 (1)(2)
- EN 301 489-24 V1.5.1 : 2010-10 (3)
- EN 301 489-3 V1.6.1 : 2013-08 (7)
- EN 301 489-7 V1.3.1 : 2005-11 (3)
- EN 301 511 V9.0.2 : 2003-03 (3)
- EN 301 893 V1.7.1 : 2012-06 (2)
- EN 301 908-1 V6.2.1 : 2013-04 (3)
- EN 301 908-13 V6.2.1 : 2014-07 (3)
- EN 301 908-2 V6.2.1 : 2014-07 (3)
- EN 60950-1 / A1 : 2010
- EN 60950-1 / A11 : 2009
- EN 60950-1 / A12 : 2011
- EN 60950-1 / A2 : 2013
- EN 60950-1 / AC : 2011
- EN 60950-1 : 2006
- EN 62479 : 2010 (5)

- (1) in case of data transmission equipment operating in the 2.4GHz band
- (2) in case of data transmission equipment operating in the 5.0GHz band
- (3) in case of equipment includes UMTS/GSM and/or LTE
- (4) if the product is used as ordinary IT Equipment, 2014/35/EU & 2014/30/EU are applicable
- (5) if emissions of the product are in total below 20mW
- (6) if emissions of the product are in total above 20mW
- (7) in case of equipment includes GPS, NFC and/or RFID

The product is also in conformance with the EU recommendation 1999/519/EC.





FUJITSU

**Product Name** LIFEBOOK E554 (maybe followed by suffixes)

**2009/125/EC** Directive of the European Parliament and of the Council establishing a framework for the setting of ecodesign requirements for energy-related products.

Compliance was proved by the application of the following standards:

**EC No 1275 / 2008**  
**EN 50564 : 2011**

**2011/65/EU** Directive of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Compliance was proved by the application of the following standard:

**EN 50581 : 2012**





**ТЕЗА ООД**  
**ЦЕНТЪР ЗА ПРЕВОДИ**

Превод от английски език

София 1784, Младост-1, 54А

факс: +359 2 9 691 599

тел.: +359 2 9 691 598

office@teza.bg; www.teza.bg



Фуджицу (FUJITSU)- LIFEBOOK E554

Спецификации

Вид:

Ноутбук

Ноутбуци, настолни компютри, интегрирани компютри, Слейт / Таблети, две-в-едно Бележници и преносими в Категория всичко в едно по Критерии ТКЕ (Типична консумация на електроенергия):

I3,I1,I2

Категория I1: Марка Процесор:

Intel

Категория I1: Име на Процесор:

Core i7

Категория I1: Скорост на ядро на основния процесор (GHz):

2.3

Категория I1: Системна памет(GB):

16.0

Категория I1: Изключен режим (ват):

0.3

Категория I1: Икономичен режим (ват):

0.5

Категория I1: Дълга незаеетост (ват):

8.3

Категория I1: Кратка незаеетост (ват):

10.5

Категория I1: Основна ТКЕ допустимост (kWh):

22

Категория I1: Функционална допустимост на пресмятане (kWh):

29.1

Категория I1: ТКЕ на Модел (kWh):

37.4

Категория I2: Марка процесор

Intel

Категория I2: Име на процесор

Core i7

Категория I2: Скорост на ядро на основния процесор (GHz):

2.3

Категория I2: Системна памет(GB):

16.0

Категория I2: Изключен режим (ват):

0.3

Категория I2: Икономичен режим (ват):

0.5

Категория I2: Дълга незаеетост (ват):

8.3

Категория I2: Кратка незаеетост (ват):

10.5

Категория I2: Основна ТКЕ допустимост (kWh):

22

Категория I2: Функционална допустимост на пресмятане (kWh):

29.1

Категория I2: ТКЕ на Модел (kWh):

37.4

Категория I3: Марка процесор:

Intel



Категория I3: Име на процесор	Core i7
Категория I3: Скорост на ядро на основния процесор (GHz)	2.3
Категория I3: Системна памет(GB)	16.0
Категория I3: Изключен режим (ват)	0.3
Категория I3: Икономичен режим (ват)	0.5
Категория I3: Дълга незаветост (ват)	8.3
Категория I3: Кратка незаветост (ват)	10.5
Категория I3: Основна ТКЕ допустимост (kWh)	22
Категория I3: Функционална допустимост на пресмятане (kWh)	29.1
Категория I3: ТКЕ на Модел (kWh)	37.4
Икономичен режим при време за пренос на данни по подразбиране (мин.)	20
Икономичен режим на Дисплей по подразбиране за време пренос на данни (мин.)	10
WOL (събуждане от икономичен режим при безжична мрежа)	Преносът е изключен с ОС и мрежовия контрол, за да се активира функцията
Скоростта на всеки 1 GB/сек или по-висока мрежа от връзки ще бъде ли намалена до по-малко от 1 GB/сек при преход към икономичен режим или режим изключен?	Да

Дата на пускане на пазара	06/06/2014
Дата на квалифициране	05/26/2014
Пазар	САЩ, Австралия, Нова Зеландия, Швейцария, Европа, Тайван, Канада


<https://www.energystar.gov/productfinder/product/certified-computers/details/2211308>

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Спецификации/. Преводът се състои от 2 стр.

Преводач: Мила Радмилова Райковска

подпис:

(печат/



# Fujitsu - LIFEBOOK E554


## Specifications

Type:	Notebook
Notebooks, Desktops, Integrated Computers, Slate/Tablets, Two-in-one Notebooks, and Portable All-in-ones Category for TEC (Typical Energy Consumption) Criteria:	I3,I1,I2
Category I1: Processor Brand:	Intel
Category I1: Processor Name:	Core i7
Category I1: Base Processor Speed Per Core (GHz):	2.3
Category I1: System Memory (GB):	16.0
Category I1: Off Mode (watts):	0.3
Category I1: Sleep Mode (watts):	0.5
Category I1: Long Idle (watts):	8.3
Category I1: Short Idle (watts):	10.5
Category I1: Base TEC Allowance (kWh):	22
Category I1: Functional Adder Allowances (kWh):	29.1
Category I1: TEC of Model (kWh):	37.4
Category I2: Processor Brand:	Intel
Category I2: Processor Name:	Core i7
Category I2: Base Processor Speed Per Core (GHz):	2.3
Category I2: System Memory (GB):	16.0
Category I2: Off Mode (watts):	0.3
Category I2: Sleep Mode (watts):	0.5
Category I2: Long Idle (watts):	8.3
Category I2: Short Idle (watts):	10.5
Category I2: Base TEC Allowance (kWh):	22
Category I2: Functional Adder Allowances (kWh):	29.1
Category I2: TEC of Model (kWh):	37.4
Category I3: Processor Brand:	Intel
Category I3: Processor Name:	Core i7
Category I3: Base Processor Speed Per Core (GHz):	2.3
Category I3: System Memory (GB):	16.0



Category I3: Off Mode (watts)Ⓢ:	0.3	
Category I3: Sleep Mode (watts)Ⓢ:	0.5	
Category I3: Long Idle (watts)Ⓢ:	8.3	
Category I3: Short Idle (watts)Ⓢ:	10.5	
Category I3: Base TEC Allowance (kWh)Ⓢ:	22	
Category I3: Functional Adder Allowances (kWh)Ⓢ:	29.1	
Category I3: TEC of Model (kWh)Ⓢ:	37.4	
Sleep Mode Default Time Upon Shipment (min.)Ⓢ:	20	
Display Sleep Mode Default Time Upon Shipment (min.)Ⓢ:	10	
WOL (Wake on LAN) From Sleep:		Shipped Disabled with Both Client OS and Network Controls to Enable Feature
Will the Speed of Any Active 1 GB/s or Higher Ethernet Network Links be Reduced to Less Than 1 GB/s When Transitioning to Sleep or Off Mode?Ⓢ:	Yes	
Date Available On MarketⓈ:	06/06/2014	
Date QualifiedⓈ:	05/26/2014	
MarketsⓈ:		United States, Australia, New Zealand, Switzerland, Europe, Taiwan, Canada

<https://www.energystar.gov/productfinder/product/certified-computers/details/2211308>





София 1784, Младост-1, 54А  
 факс: +359 2 9 691 599  
 тел.: +359 2 9 691 598  
 office@teza.bg; www.teza.bg



Превод от английски език

Лого на Уиндоус Доклад за сертифициране на хардуер Уиндоус [Windows]: Одобен

Идентификационен номер на подаване: 1656988  
 Дата на подаване: 5/28/2014  
 Сертифициране на хардуер дата на завършване: 5/28/2014  
 Компания: Фуджицу (FUJITSU)  
 Име на продукт: LIFEBOOK E554  
 Категория: Системи  
 Вид на продукт: Лаптоп  
 квалификационно равнище: Лого - Систем - Windows 7  
 Лого - Систем - Windows 7x64  
 Маркетинг имена: LIFEBOOK E554/J  
 LIFEBOOK E544  
 LIFEBOOK E544/J


**Допълнителна информация:**


BIOS URL: <http://www.fmworld.net>  
 Производител на дънна платка: Фуджицу (FUJITSU)  
 Модел на дънна платка: FJNB281  
 Производител BIOS: Фуджицу // Фоеникс Текнолоджис ООД. [FUJITSU // Phoenix Technologies Ltd.]  
 Дата BIOS: 04/22/2014  
 Wersiq BIOS: FUJ - 1010000  
 Firmware интерфейс: UEFI  
 Максимална RAM, които могат да бъдат инсталирани (в MB): 16777216  
 Скорост на процесора: 2701  
 Брой на физическите процесори (CPU) контакти: 1  
 модел CPU: Intel (R) ядро (TM) i5-4310M CPU @ 2.70GHz  
 ACPI състояния на неактивност: S3, S4, S5

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Декларация за съответствие /. Преводът е състои от 1 стр.

Преводач: Мила Радмилова Райковска

подпис: ..... /печат/





## Windows hardware certification report: Approved

Submission ID: 1656988  
Submission date: 5/28/2014  
Hardware certification completion date: 5/28/2014  
Company: Fujitsu  
Product name: LIFEBOOK E554  
Category: Systems  
Product type: Laptop  
Qualification level: Logo - System - Windows 7  
Logo - System - Windows 7 x64  
Marketing names: LIFEBOOK E554/J  
LIFEBOOK E544  
LIFEBOOK E544/J

### Additional information:


BIOS URL: <http://www.fmworld.net>  
Motherboard manufacturer: FUJITSU  
Motherboard model: FJNB281  
BIOS manufacturer: FUJITSU // Phoenix Technologies Ltd.  
BIOS date: 04/22/2014  
BIOS version: FUJ - 1010000  
Firmware interface: UEFI  
Maximum RAM that can be installed (in MB): 16777216  
CPU speed: 2701  
Number of physical CPUs (CPU sockets): 1  
CPU model: Intel(R) Core(TM) i5-4310M CPU @ 2.70GHz  
ACPI sleep states: S3,S4,S5





Xerox 

Xerox Bulgaria Ltd.  
29, Alanas Dukov Str., fl. 3  
Sofia 1407, Bulgaria  
Phone: +359 2 460 69 19  
Fax: +359 2 819 27 61  
www.xerox.bg



Изх. № 1737 / 20.07.2016 г.

До: Министерство на здравеопазването

Относно: Участие в открита процедура по ЗОП за сключване на договор за възлагане на обществена поръчка с предмет: "Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на МЗ и Програма ПУНПТ"

Уважаеми Дами и Господа,

С настоящето писмо Ксерокс България ЕООД, представител на XEROX Ltd. за България потвърждава, че фирма Лирекс БГ ООД, с адрес на управление гр. София, Младост 3, бл. 306, е упълномощена да участва в горепосочената процедура: "Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на МЗ и Програма ПУНПТ"

Ксерокс България ЕООД потвърждава, че фирма Лирекс БГ ООД е официално оторизирана да извършва продажба и сервис на предлаганото Xerox оборудване.

С настоящото гарантираме, че предложената офис техника с марка Ксерокс е производство на XEROX, оригинална, нова, не рециклирана и ще се доставя в оригинални опаковки. Предлаганите продукти фигурират в актуалната производствена листа на производителя и са със стандартна гаранция.




Елена Халянова

Country Manager

Ксерокс България ЕООД






# Xerox® DocuMate® 3125 Scanner

Fast, affordable and compact scanning for documents and more.

- Compatible with PC and Mac®
- Scans plastic cards through the ADF
- One touch scanning to multiple applications
- Image enhancement software
- Create searchable PDF files to make it easy to find scanned documents.
- Ultrasonic double feed detection
- 38 ppm and 67 ipm in duplex\*

\* 200 dpi, b&w and greyscale on A4 size paper



## Be More Productive

The Xerox® DocuMate® 3125 colour desktop scanner quickly converts your documents, plastic cards and forms into digital files, then securely saves them on your computer or in the cloud ready to be accessed another day when needed. It can scan up to 67 images per minute (ipm) in duplex and includes a 50-page Automatic Document Feeder (ADF) that handles everything from business cards to A4/ Letter size documents. The Xerox® DocuMate® 3125 has an exceptionally small footprint and will fit comfortably on any desk (especially when folded closed). It is the perfect solution for organisations that need to quickly convert paper documents into searchable PDF files to be shared, organised and protected.

Advanced certified TWAIN™ and ISIS® drivers allow you to communicate with hundreds of Enterprise Content Management (ECM) and Document Image Management (DIM) software solutions making the Xerox® DocuMate® 3125 perfect for any office environment.

## Scanning at the Touch of a Button

The Xerox® DocuMate® 3125 scanner allows users to scan to the "destination" of their choice by pressing a single button, eliminating the multiple steps usually required to save scanned documents in popular file formats. Simply select one of 9 preset (yet completely user configurable) destinations, and your documents



will be scanned with the correct settings for resolution, colour, cropping, and file format. Final images are delivered to virtually any application, folder or device – all at the touch of a button.

## Scan with Confidence

Take a random stack of documents from your desk. Unless they came directly from a laser printer, they probably have a few marks on them, highlighted notes, stamps, wrinkles or smudges. The DocuMate 3125 includes software that enables your scanner to instantly improve the visual clarity of every document that you scan. It intelligently adjusts every page after being scanned to a crisp and clean image. And it not only improves image quality for the human eye, but the computer's eye as well. Since OCR results are directly related to the clarity of scanned text, OCR accuracy is dramatically increased when you improve image quality.

## Multiple Platforms

For Mac users, the Xerox® DocuMate® 3125 includes a fully featured TWAIN driver, ICA support, and a simple yet powerful Scan Utility, allowing you to get started right out the box.



# Xerox® DocuMate® 3125 Software Solutions

## Visioneer®

### OneTouch

OneTouch is an easy-to-use utility that connects the Xerox® DocuMate 3125 with a powerful set of scanner settings to greatly improve the efficiency of your workflow — so that with one touch the document is scanned automatically to email, Microsoft® Word, your printer, a file folder, or to one of many cloud destinations.

### Acuity

Acuity, in combination with DriverPLUS technology, enables your scanner to instantly improve the visual clarity of every document that you scan. Using advanced algorithms and technology, Acuity will intelligently correct documents containing imperfections, improve quality of scanned images for archiving, increase OCR accuracy, and save time.

### DriverPLUS

DriverPLUS is a new generation of driver technology that is based on the TWAIN™ 2.3 specifications that provides advanced features and greater reliability for both users and system integrators. DriverPLUS combines the features of advanced 32- and 64-bit native Windows®-based TWAIN and WIA drivers PLUS new Acuity optimization software and a sophisticated, but easy to use, user interface.

## Nuance®

### PaperPort®

Millions of professionals rely on PaperPort to save time and money by transforming paper documents into searchable digital documents. PaperPort combines the efficiency of document management, the convenience of superbly scanned documents and the power of creating PDF files, to bring a new level of operational proficiency to your organisation.

### OmniPage® Pro

OmniPage Pro provides a precise OCR and layout retention solution, quickly turning scanned documents into editable, formatted text. The text can then be used in virtually any word processing, desktop publishing or web publishing program.

### Power PDF

Nuance Power PDF is the smarter PDF software choice for businesses. Combining powerful functionality, superior Microsoft® Office® support, built-in intelligence, DMS integration, and intuitive ease of use, Nuance PDF Converter provides everything you need to create, convert, edit, assemble, and securely share PDF files.

## Mac Software Solutions

### Mac TWAIN

The Mac TWAIN driver offers all of the features of Acuity Image cleanup built in. No 3rd party software needed. Blank Page Removal, Auto Colour Detect, Auto Rotate are just a few of the standard features. It also includes a digital endorser to add text to your images, the ability to read barcode data (3rd party software required to interpret barcode data), and Merge two sides.

### Visioneer Scan Utility

If there is no scanning application on your Mac, a simple but effective scan utility is included, allowing you to take full advantage of all of the drivers' features. Simply put, set your driver preferences, select an image format (BMP, JPG, GIF, PDF, MPDF, TIF and MTIF), choose where you want to save your images to, and start scanning.

### Box Contents

- DocuMate 3125 Scanner
- Spare ADF Pad Assembly
- Power Cords
- USB Cable
- Power Supply
- Quick Installation Guide
- Technical Support Card
- DVD-ROM including:
  - User's Manual
  - Nuance OmniPage Pro
  - Nuance PaperPort
  - Nuance Power PDF
  - Visioneer® OneTouch®
  - Visioneer Acuity with DriverPLUS
  - Scanner Drivers: TWAIN, EMC® Captiva® ISIS® and Microsoft Windows® Image Acquisition (WIA) Driver

### Minimum System Requirements

#### PC

- Pentium® IV or equivalent processor
- Windows® 10 / 8 / 7 / Vista® / XP®
- 2GB RAM
- 350 MB available hard drive space
- DVD-ROM drive
- USB 2.0 port

#### Mac

- 1.83 GHz or faster Intel® Core processor
- Mac OS® X v10.6 – 10.11
- 2GB RAM
- 350 MB available hard disk space
- DVD-ROM drive
- USB port

Xerox® DocuMate® 3125 Product Specifications	
Model Number	XDM3125SM-WU
Scan Speed	38 ppm / 67 ipm: 200 dpi b&w and greyscale on A4 size paper
	25 ppm / 44 ipm: 300 dpi b&w, greyscale, colour on A4 size paper
Scan Method	Contact Image Sensor (CIS)
Light Source	LED
Optical Resolution	600 dpi
Output Bit Depth	24-bit colour, 8-bit greyscale, 1-bit black & white
Interface	Hi-speed USB 2.0 (3.0 compatible)
Supported Formats	BMP, JPG, Gif, PDF, MPDF, TIF and MTIF
Detection	Ultrasonic double feed detection
Dimensions (paper trays extended) (W x D x H)	284 x 261 x 261 mm (11.2" x 10.25" x 10.25")
Dimensions (paper trays folded) (W x D x H)	284 x 170 x 165 mm (11.2" x 6.7" (d) x 6.5")
Weight	2.3 kg (5.1 lb)
ADF Minimum Document Size	51 x 51 mm (2" x 2")
ADF Maximum Document Size	216 x 965 mm (8.5" x 38")
ADF Capacity	50 pages (20 lb., 75-80 g/m² paper)
Document Thickness (min-max)	13 to 32 lbs. (49 - 120 g/m²)
Duty Cycle	3,000 pages/day


For more information about the Xerox line of scanners, visit [www.xeroxscanners.com](http://www.xeroxscanners.com)



©2016 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design® and DocuMate® are trademarks of Xerox Corporation in the United States and/or other countries. Visioneer® is an authorised trademark licensee of Xerox®. Visioneer® and Visioneer OneTouch® are trademarks of Visioneer, Inc. Nuance®, PaperPort®, and OmniPage® are trademarks of Nuance Communications, Inc. or its affiliates in the United States and/or other countries. Mac®, Mac OS®, and OS X® are trademarks of Apple Inc., registered in the U.S. and other countries. Microsoft®, Office®, Windows Vista®, Windows®, the Windows logo and XP® are trademarks of Microsoft Corporation in the United States and/or other countries. Intel® and Pentium® are trademarks of Intel Corporation in the U.S. and/or other countries. EMC® and ISIS® are trademarks of EMC Corporation. Universal Serial Bus is a trademark of USB Implementers Forum, Inc. (USB-IF). TWAIN® is a trademark of TWAIN Working Group. All other trademarks are the property of their respective owners and are hereby acknowledged. Prices, features, specifications, capabilities, appearance and availability of Xerox products and services are subject to change without notice. 07/16 BR19330

DOC- 08345  
Издание No.:1  
Страница 1 / 1

Лого:  
xerox



**ДЕКЛАРАЦИЯ ЗА СЪОТВЕТВИЕ**  
**Xerox DocMate 3125**

Производител  
Адрес

Ксерокс Лимитед [Xerox limited]  
Басеремер Роуд  
Велвин Гарден Сити  
Хердфордшир AL7 1BU , Великобритания  
Xerox Limited  
Bessemer Road  
Welwyn Garden City  
Hertfordshire AL7 1BU, UK

Описание на продукт

Скенер

Представеният продукт е в съответствие с изискванията на съответните Европейски директиви:

**ДИРЕКТИВА ЗА НИСКОТО НАПРЕЖЕНИЕ**

**2006/35/EO**

Директива на Съвета от 12 Декември 2006 за хармонизираното законодателство на държавите членки относно електрическото оборудване за използване на определени граници на напрежение.

**ДИРЕКТИВА ЕМС**

**2004/108/EO**

Директива на Съвета от 15 Декември 2006 за сближаването на законодателствата на държавите членки по отношение на електромагнитната съвместимост.

**ДИРЕКТИВА ЕсП**

**2005/65/EO**

Регламент на Комисията (ЕК) № 1275/2008 от 17 Декември 2008, който прилага Директива 2005/32/EO на Европейския Парламент и Съвет в съответствие с изискванията за еко дизайн на консумацията на електрическа мощност на електрически електронни домакинства и офиси в режим на готовност и изключване

**ПЪРВА ГОДИНА НА МАРКИРОВКАТА**

**2011**

Съответствието на продукта с изискванията на директивите на ЕС се основават на пълното съответствие със следните стандарти:

**Хармонизирани Европейски Норми**



EN55024	1998+A1:2001+A2:2003
EN55022	2006+A1:2007
EN60950-1	2006+A11:2009
EN61000-3-2	2006+A2:2009
EN61000-3-3	2008
EN62311	2008

Оторизиран от името на Ксерокс Европа/Ксерокс Лимитед/ Корпорация Ксерокс

Име: л. Финн  
Длъжност: Мениджър Безопасност на продуктите  
Адрес: Велвин Гарден Сити, Англия  
Дата: 17/08/2011  
Подпис: /не се чете/

Удостоверявам верността на извършения от мен превод от английски на български език на приложените документ /Декларация за съответствие /. Преводът се състои от 1 стр.

Преводач: Румяна Лъчезарова Спасова - Александрова    подпис: ..... /печат/





XEROX

DOC-08345  
Issue No.: 1  
Page 1 / 1

## Declaration of Conformity Xerox DocuMate 3125

**Manufacturer  
Address**

Xerox Limited  
Bessemer Road  
Welwyn Garden City  
Hertfordshire AL7 1BU, UK

**Product Description**

Scanner

The described product conforms to the requirements of the following EU Directives:

**LOW VOLTAGE DIRECTIVE**

**2006/95/EC**

Council Directive of December 12, 2006 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits

**EMC DIRECTIVE**

**2004/108/EC**

Council Directive of December 15, 2004 on the approximation of the laws of the Member States relating to the electromagnetic compatibility

**EuP DIRECTIVE**

**2005/32/EC**

Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to eco design requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment.

**FIRST YEAR OF THE CE MARKING**


**2011**

Conformity of the product with the requirements of the EU directives is established through full compliance with the following standards:

Harmonized European Normes	
EN55024	1998+A1:2001+A2:2003
EN55022	2006+A1:2007
EN60950-1	2006+A11:2009
EN61000-3-2	2006+A2:2009
EN61000-3-3	2008
EN62311	2008

Harmonized European Normes	
EN55024	1998+A1:2001+A2:2003
EN55022	2006+A1:2007
EN60950-1	2006+A11:2009
EN61000-3-2	2006+A2:2009
EN61000-3-3	2008
EN62311	2008

**Authorised on Behalf of Xerox Europe / Xerox Limited / Xerox Corporation:**

Name: L. Finn  
Function: Product Safety Manager  
Address: Welwyn Garden City, England  
Date: 17/08/2011  
Signature: 





Превод от английски език

София 1784, Младост-1,54А  
факс: +359 2 9 691 599  
тел.: +359 2 9 691 598  
office@teza.bg; www.teza.bg



Логр:

Номер:0227

Номер на издаване:

Дата: 08/29/13

**Декларация за ограничаване на опасните вещества (RoHS) съгласно Европейска Директива 2002/95/ЕО и приложимите изменения.**

Производител/Вносител: Ксерокс [Xerox]  
Адрес: Басесемер Роуд  
Велвин Гарден Сити  
Хертфордшир  
AL7 1 BU,  
Великобритания  
Bessemer Road  
Welwyn Garden City  
Hertfordshire  
AL7 1HE  
United Kingdom

Модел на продукта и описание (Включително всички варианти):Xerox DocuMate 3125  
Скенер

**Декларация:**

От познанията и убежденията ни, продуктът описан по-горе:

Потвърждава изискванията на Директивата на Европейския Съюз 2002/95/ЕО относно ограничаване на опасните вещества в електрическото и електронното оборудване("RoHS")

Не е предмет за или е извън обхвата на RoHS.

Декларацията се основава на регламентирана процедура за RoHS за Xerox, която включва активно ангажиране на доставчиците на Ксерокс и уверението, което дават независимите сертификати на доставчиците за съответствие, представителство, материални декларации и / или други материали, предоставени на Ксерокс.

упълномощен от името на Ксерокс Корпорейшън [Xerox Corporation]

Име Крейг Ефраим [Craig Ephraim]  
Функция Директор, Лицензиране на Марки  
Адрес 800 Филипс Роуд, Уебстер, Ню Йорк 14580  
[ 800 Phillips Rd, Webster, NY 14580 ]  
Подпис /Не се чете/

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ - RoHS Декларация. Преводът се състои от 1 стр.

Преводач: Румяна Лъчезарова Спасова-Александрова подпис: ..... /печат/



Number: 0227

Issue No:

Date: 08/29/13

**RoHS Declaration Pursuant to EU Directive 2002/95/EC (RoHS) and Applicable Amendments**

**Manufacturer/Importer:** Xerox

**Address:** Bessemer Road  
Welwyn Garden City  
Hertfordshire  
AL7 1BU  
United Kingdom

**Product Model and Description (Including all options):** Xerox DocuMate 3125  
Scanner

**Declaration:**

To the best of our knowledge and belief, the product described above:

Conforms to the requirements of the European Union Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS").

Is not subject to or is outside the scope of RoHS.


This declaration is based upon Xerox's RoHS due diligence process, which includes active engagement of Xerox's supplier base and reliance upon suppliers' independent certificates of compliance, representations, material declarations and/or other materials provided to Xerox.

Authorised on behalf of Xerox Corporation


**Name** Craig Ephraim

**Function** Director, Brand Licensing

**Address** 800 Phillips Rd, Webster, NY 14580

**Signature** 





Превод от английски език

София 1784, Младост-1, 54А

факс: +359 2 9 691 599

тел.: +359 2 9 691 598

office@teza.bg; www.teza.bg



Лого:  
**Avision**

Авижън Юрп ГмбХ \* Бишофщтрасе 101 \* Крефелд

На вниманието на: Министерството на здравеопазването

3 август 2016

Открита процедура за възлагане на обществена поръчка за „Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на Министерство на здравеопазването и програма „Подобряване на устойчивостта на националната програма по туберкулоза“

Реф.№ РД-11-224/04.07.2016

Оторизационна форма на производител

Авижън Юрп ГмбХ, в качеството си на утвърден престижен производител на скенери с марката Avision, с производствени бази в Китай  
[No. 9 SuHong West Road, Suzhou Industrial Park, Jiangsu Province, PRC215021 China],

с настоящото надлежно оторизираме Лирекс БГ ООД, Младост 3, бл. 306, вх.2, София 1712, България да подаде оферта и впоследствие да преговаря и подпише Договор за доставка, инсталиране и гаранционна поддръжка на предлагания модел скенери, произведени от Авижън, за количества и по спецификации и график на доставките, според изискванията за доставка, свързани с търга.

С настоящото писмо, ние декларираме, че горепосочената компания ни представлява в тази открита процедура.

Надлежно упълномощаваме споменатата компания да действа от наше име при изпълнението на всичко, свързано с техническата и гаранционната поддръжка, според изискванията на Договора.

Също така, потвърждаваме, че участникът е квалифициран от нас за предоставяне на последваща техническа поддръжка или хелп деск и/или други услуги, свързани с горепосочения продукт.

/Подпис – не се чете/

/ Печат/

Робан Бартковиак [Roman Bartkowiak]

Авижън Юрп ГмбХ

Телефон: ++49-2151-1575922

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Оторизационно писмо /. Преводът се състои от 1 стр.

Преводач: Румяна Лъчезарова Спасова - Александрова    подпис: ..... /печат/





August 3, 2016

Attn to: Ministry of Health

Open tender for "Purchase of computer and office equipment for the needs of the Ministry of Health and the Program "Improving the sustainability of the national program on tuberculosis"

Ref. No РД-11-224/ 04.07.2016

### Manufacturer's Authorization Letter

WHEREAS Avision Europe GmbH who are established and reputable producer of Avision brand scanners, having production facilities in No. 9 SuHong West Road, Suzhou Industrial Park, Jiangsu Province, PRC215021 China.

Do hereby duly authorize Lirex BG Ltd, Mladost 3, N 306, en.2, Sofia 1712, Bulgaria to submit a Bid and subsequently negotiate and sign the Contract for Supply, Installation and Warranty support of proposed model of scanners manufactured by Avision, for the quantities, specifications and delivery schedule called by the Supply Requirements associated with the Bid.

With the present letter we declare, that above mentioned company represents us in this open procedure.

We dully authorize said company to act on our behalf in fulfilling all Technical Support, Warranty and Maintenance obligation, required by the Contact.

We also certify that the Bidder is qualified by us to provide the following maintenance technical or help desk support and / or other services related to the above listed Product.

Roman Bartkowiak  
Avision Europe GmbH  
Phone: ++49-2151-1575922



Avision Europe GmbH  
Bischofstraße 101  
47809 Krefeld

Tel.: +49 2151 15759-0  
Fax.: +49 2151 15759-29  
E-Mail: info@avision.de

Bank Name: Commerzbank AG  
IBAN: DE89320400240181032400  
SWIFT/BIC: COBADEFF

Managing Director: Thomas Müller  
VAT No.: DE217878630  
District Court: Krefeld HR





# Avision

A vision of your office

## Avision | AD260 Sheeffed Scanner

**A Fast, Reliable, and Easy-to-use Scanner**



### Features:

- Fast, 70 ppm / 140 ipm scanning in color, grayscale and monochrome (200 dpi)
- Fast, 60 ppm / 120 ipm scanning in color, grayscale and monochrome (300 dpi)
- Support form paper up to 242 x 356 mm (9.5 x 14 in.)

Robust 100-page automatic document feeder

- Latest USB 3.0 connectivity for faster transmission speed
- Reverse roller technology delivers outstanding feeding reliability
- Hard and embossed card scanning up to 1.25 mm in thickness
- Press and scan to cloud servers via the bundled software Button Manager V2
- Earth-friendly LED technology
- Long page scanning up to 6000 mm (236 in.)
- Auto power off setting

### Overview

Built-in with an independently developed image processing engine "VM2" processor and USB 3.0 connectivity, the AD260 delivers duplex scanning speeds of up to 140 images per minute in color, grayscale, and monochrome. Deploying a new document separation method using the reverse roller, the AD260 balances high performance with exceptional feeding reliability across a wide variety of scanning situations.



Support form paper up to 242 x 356 mm (9.5 x 14 in.)

The AD260 also boasts a unique and innovative design in comparison with its predecessors - the ability to accommodate for paper up to 242 x 356 mm. The extended document width from standard 216 mm (8.5 in.) to 242 mm (9.5 in.) makes the AD260 more competitive to fit for a wider range of documents.


### A Duplex Scanner Suited for Document and Cards

Thanks to the advanced straight paper path and image processing technology, mixed batches of documents with varies sizes and weights can be scanned, appropriately cropped, deskewed, and ready to use. Scan size accepts paper from receipts 50 x 50 mm (2 x 2 in.) to for paper 242 x 356 mm (9.5 x 14 in.). The auto document feeder is also robust enough to feed paper up to 413 g/m<sup>2</sup> (110 lb.) and embossed hard cards such as ID cards, credit cards, driver's license and health insurance card up to 1.25 mm in thickness.

### Reverse Roller Enhances Feeding Reliability

Designed with the innovative reverse roller for advanced paper separation capability, the AD260 delivers

outstanding feeding reliability and operating productivity by effectively reducing the risk of a multi-feed or paper jam.




### What We Have Bundled

The AD260 come with TWAIN and ISIS drivers, and are bundled with a suite of powerful software applications that include Avision Button Manager V2, AVScan X and Nuance PaperPort SE 14.


### Avision's Button Manager V2

-Completes your scan with a single step



The Button Manager V2 main screen


Button Manager V2 makes it easy for you to scan and send your image to your favorite destinations with a press one button. Now the new version comes with an innovative feature to let you scan and automatically upload the scanned document to popular cloud repositories such as Google Docs, Microsoft SharePoint, or FTP. In addition, the iScan feature allows you to insert the scanned image or recognized text after optional OCR (Optical Character Recognition) process to your text editor such as Microsoft Word to get your job done easily and quickly.



# Avison | AD260 Sheeffed Scanner

## AVScan X

-The Intelligent Document Management Tool




The AVScan X main screen

Document Imaging is the very first step of Document Management. However, poor quality images can cause serious problems to later indexing or storing processes. It may increase scanning labor costs and lowers the OCR accuracy. AVScan X ensures all documents are checked and polished at the time they are scanned such that the image quality is guaranteed before they are ready to use for other purposes.

AVScan X is an intelligent scanning and electronic filing solution. AVScan X possesses distinct features that convert and index scanned information into electronic documents for easy storage and fast retrieval.

## Nuance PaperPort SE14


- The Professional Choice to Organize and Share Your Documents



The PaperPort SE14 main screen

PaperPort SE 14 is Nuance's most popular scanning and document management solution, carefully designed specifically for home office use. Part traditional file cabinet, part digital-document desktop, PaperPort SE 14 is the fastest and easiest way to scan, share, search and organize your documents. Additionally, PaperPort SE 14 now delivers anytime-anywhere access to your most important files however it's convenient for you - using a PC, Mac, iPhone, iPad, or Android device.

## Avison Network Box Scan APP



Network Box APP main screen

By connecting the scanner to Avison's newly designed Network Box, the scanner can be upgraded into a wired or wireless scanner to let other computers or smartphones/ tablets to scan and receive image data directly from the scanner in the LAN.

### Network Box Application

To let your mobile devices instruct to scan and receive the scanned image, you need to install the mobile app - Network Box to your smart phones or tablets. The Network Box application can be purchased for free from an application store such as Google Play, Apple App Store. Simply press the [Start scan] button, the scanner begins scanning the document and the thumbnail image will be displayed.



PAPERPORT SE 14



Avison Button Manager V2

AVScan X



### Avison AD260 Product Specifications

Paper Feeding:	ADF 100-page capacity
Scanning Technology:	Color Charged-Coupled Device
Light Source:	LED
ID card thickness:	Up to 1.25 mm
Long Page Mode:	200 dpi: 6000 mm (236 in.) 300 dpi: 5540 mm (218 in.) 600 dpi: 1500 mm (59 in.)
Scanning Size:	Min. 50 x 50 mm (2 x 2 in.) Max. 216 x 356 mm (8.5 x 14 in.)
Scanning Speed:	70 PPM/140 IPM (color, A4, 200 dpi) 60 PPM/120 IPM (color, A4, 300 dpi)
Paper Thickness:	27 ~ 413 g/m <sup>2</sup> (7 to 110 lb.)
Optical Resolution:	600 dpi
Output Resolution:	75, 100, 150, 200, 300, 400 and 600 dpi
Output Formats:	B/W, greyscale, 24-bit color
Bundled Software:	Avison Button Manager V2, Avison AVScan X Nuance PaperPort SE 14
Interface/Drivers:	USB 3.0 / TWAIN, ISIS, WIA
Power Supply:	Input: 100~240 VAC, 50/60 Hz Output: 24V, 2A
Power Consumption:	Operation: <48W Ready: <16W Sleep: <1.2 W Off: <0.22 W
Environmental Factors:	Operating temperature: 10°C to 35°C (50°F to 95°F) Operating humidity: 10% to 85%
Acoustic Noise:	Standby: <45 dB Operating: <55 dB
Dimensions (W x D x H):	Max.: 316 x 680 x 239 mm (12.4 x 26.8 x 9.4 in.) Min.: 316 x 191 x 168 mm (12.4 x 7.5 x 6.6 in.)
Weight:	4.7 kg (10.3 lb.)
Recommended Daily Duty Cycle:	10,000 Sheets
Ultrasonic:	Yes
Multi-feed Detection:	

Specifications subject to change without notice.

### System Requirements

CPU:	Intel® Core 2 Duo or higher
Memory:	2GB (32bit Windows) 4GB (64bit Windows)
DVD-ROM:	DVD ROM Drive
USB:	USB3.0 Port (USB 2.0/1.1 supported)
Windows* Operating System:	Windows* XP SP3, Vista, 7, 8.x (32 & 64 bit)

### Contents

AD260 Scanner
Power Supply
Quick Guide
USB 3.0 Cable
CD-ROM includes:
-Scanner Driver (TWAIN/ISIS Driver)
-Avison Button Manager V2
-Avison AVScan X
-Nuance PaperPort SE 14

Windows, Windows XP, Windows Vista, Windows 7 and Windows 8 are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Other brands and product names herein are trademarks or registered trademarks of their respective holders.



**Avison**  
www.avision.com



Лого:



**ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ**

За следното оборудване:

Вид на оборудване	Скенер	
Номер на Модел:	AD260	
Име на Производител:	Авижън Инк. [Avison Inc.]	Avison Inc.
Адрес на Производител:	№20, Криейшън Роуд 1, Сайънс Парк, Хсинчу 300, Тайван РК.	No. 20 Creation Road 1, Science Park, Hsinchu 300, Taiwan, R.O.C.

Следва да потвърди съответствието с изискванията поставени в Директивата на съвета за сближаване на Законодателството на държавите членки във връзка с Директива за Електромагнитната съвместимост (2004/108/ЕК). За оценка относно Електромагнитната Съвместимост (EMC) са приложени следните стандарти:

EN 55022:2006+A1:2007	(Стандарт за емисии)
EN 61000-3-2:2006 Class A	(Граници за хармонизиране на текущите емисии)
EN 61000-3-3:2008	(Ограничение на промяна в напрежението и трептенето на система за снабдяване с ниско напрежение)

Устойчивост:

EN 55024:1998) + A1:2001 + A2:2003 (Стандарт за устойчивост)

Име на вносител	Авижън Европа ГмБХ
Адрес на вносител	Бишофщрасе 101 47809 Крефелд, Германия
Година на производство	2015



Аз като управляващ директор на Авижън Европа ГмБХ основан заедно с ЕУТ съм отговорен за декларацията


Място: Крефелд  
Дата: 2016-07-22



Печат:

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Декларация за съответствие /. Преводът се състои от 1 стр.

Преводач: Мила Радмилова Райковска    подпис:  /печат: 



**Avision**

**Declaration of Conformity**

For the following equipment:

Type of Equipment:  
Model No.:

Scanner  
AD260

Manufacturer's Name:  
Manufacturer's Address:

Avision Inc.  
No. 20, Creation Road 1,  
Science Park,  
Hsinchu 300, Taiwan, R.O.C.

Is herewith confirmed to comply with the requirements set out in the council Directive on the Approximation of the Laws of the Member states relating to the Electromagnetic Compatibility Directive (2004/108/EC). For evaluation regarding the Electromagnetic Compatibility (EMC) the following standards are applied:

Standard(s) of which the  
Conformity is declared:

RFI Emission:

EN 55022: 2006+A1: 2007  
EN 61000-3-2: 2006 Class A  
EN 61000-3-3: 2008

(Emission standard)  
(Limits for harmonic current emission)  
(Limitation of Voltage fluctuation and flicker in low-voltage supply system)

Immunity:

EN 55024:1998) + A1:2001 + A2:2003 (Immunity standard)

Importer's Name  
Importer's Address

Avision Europe GmbH  
Bischofstrasse 101  
47809 Krefeld  
Germany

Year of Manufacture


2015

I as managing director of Avision Europe GmbH established within the EUT is responsible for this declaration.

Place: Krefeld

Date: 2016-07-22

**Avision**  
Avision Europe GmbH  
Bischofstraße 101  
D-47809 Krefeld  
Tel: +49 2151 5698 140  
info@avision-europe.com



A handwritten signature in the bottom left corner of the page.

Превод от английски език

Лого:



**Декларация за съответствие RoHS**  
**Ограничаване на използването на опасни вещества (RoHS)**

Европейска Директива 2002/95/ЕО (Директива RoHS) за ограничаване на използването на опасни вещества, за всяко Електрическо и електронно оборудване включени в списъка по-долу. Авижън Европа ГмбХ [Avison Europe GmbH] декларира, че продуктът (включително резервни части) изброен по-долу, доставен до Сънс Корпорейшън [Suns Corporation] е произведен в съответствие с Директива RoHS.

Авижън Европа ГмбХ допълнително потвърждават, че:

- нашите доставчици потвърждават състоянието на съответствие на приложимите компоненти и или материали.
- Ние сме приложили процес за потвърждаване на съответствие и проверка на достоверността на всички документи доставени до нас от доставчиците.
- Ние сме прилагали материали за тестове на съдържание, където е уместно, за да се осигури съответствието.

Потвърждението на статуса на съвместимост от нашите доставчици се състои в това, че продуктът не съдържа никакви ограничителни вещества посочени в Член 4(1) от Директива RoHS за концентрация надвишаваща тези, които са посочени в рамките на разрешените в Директива RoHS или възможността за тяхното наличие в материалите на компонентите са на нива, по-високи от тези на концентрация, която се разрешава в един от конкретното, изброени в Анекс на Директива RoHS.

От това следва, че максималните стойности за тегло на концентрация на ограничените вещества в хомогенни материали са:

Олово	0.1%	Полибромирани бифенили	0.1%
Меркурий	0.1%	Полибромирани дифенилетири	0.1%
Шествалентен Хром	0.1%	Кадмий	0.01%

Авижън Европа ГмбХ е предприел всички разумни мерки за контрол за да потвърди отчетите на доставчика относно липсата на опасни вещества и провеждане на пълен последващ одит на съответната документация.

Име на марка на продукт: Авижън  
Име на модел: AD2\* Серия Скенери  
Описание на продукт: Документи за Скенер  
Предназначение: Страни от ЕС  
Дата на производство: От 2013 нанатък


Авижън Европа ГмбХ (Германия)

Подпис/не се чете/  
Роман Бартковиак  
[Roman Bartkowiak]  
Мениджър Бизнес Развитие  
Дата: 2016/08/03



Печат:

Удостоверявам верността на извършения от мен превод от английски на български език на приложен документ /Декларация за съответствие/. Преводът се състои от 1 стр.  
Румяна Лъчезарова Спасова-Александрова подпис: ..... /печат/



## RoHS Declaration of Compliance

Restriction of the use of certain Hazardous Substances (RoHS)

EC Directive 2002/95/EC (The RoHS Directive) restricts the use of the hazardous substances listed below in all Electrical and Electronic Equipment (EEE).

Avision Europe GmbH declares that the product (including Spare Parts) listed below as supplied to Suns Corporation is manufactured in compliance with The RoHS Directive.

Avision Europe GmbH further confirm that:

- Our suppliers have confirmed the compliance status of the relevant components and or materials.
- We have implemented processes to confirm compliance and check the authentic of all documentation supplied to us by our suppliers.
- We implement material content testing where appropriate to ensure compliance.

Confirmation of compliance status by our suppliers is either that the products do not contain any of the restricted substances referred to in Article 4(1) of the RoHS Directive at concentrations in excess of those permitted under the RoHS Directive or possible and their existence in the components materials are at levels in excess of these concentrations is allowed as one of the particular applications listed in the Annex to the RoHS Directive.

Therefore, the maximum concentration values of the restricted substances by weight in homogenous materials are:

Lead	0.1%	Polybrominated Biphenyls (PBB's)	0.1%
Mercury	0.1%	Polybrominated Diphenyl Ethers (PBDE's)	0.1%
Hexavalent Chromium	0.1%	Cadmium	0.01%

Avision Europe GmbH has taken all reasonable controls to confirm the supplier statements regarding the absence of the restricted substances and maintains a full audit trail of relevant documentation.

Product Brand Name:	Avision
Model Name:	AD2** Series Scanners
Product Description:	Document Scanner
Destination:	EU Countries
Date of Production:	Form 2013 onwards

Avision Europe GmbH ( Germany )




Roman Bartkowiak  
Business Development Manager

Date: 2016/08/03






Xerox® Phaser® 3260 and  
Xerox® WorkCentre™ 3225  
Letter / A4  
Printer and Multifunction Printer



Xerox® Phaser® 3260 Printer and  
Xerox® WorkCentre™ 3225 Multifunction Printer

Results driven performance.



xerox  105



# Xerox® Phaser® 3260 Printer and Xerox® WorkCentre™ 3225 Multifunction Printer

**Your objectives:** increase productivity, be more efficient, streamline processes and control costs.

Achieve your objectives. The Phaser 3260 printer and WorkCentre 3225 multifunction printer are compact, yet extremely powerful. Both are designed to support either a single user or a small team. The Phaser 3260 features fast, automatic two-sided printing with crisp, clear text and graphics. The WorkCentre 3225 adds reliable, cost-effective copy, scan and fax capabilities for all-in-one convenience.

## Affordable reliability.


- **Budget friendly.** Keep your costs down with fast, reliable printing for a single user or small team.
- **Count on it.** Keep intervention to a minimum with long lasting, easy to replace cartridges and reliable operation that handles every job with ease.
- **Print efficiently.** Split supplies mean you replace only what you use – so you get the most out of every print cartridge.
- **Total peace of mind.** Outstanding Xerox Service and Support, with a standard one-year warranty.
- **Consolidate.** The WorkCentre 3225 allows you to reduce operating costs and service calls by combining multiple business-critical functions in one device.

## Designed for results.

- **Quick print.** A print speed of up to 29 ppm and a rapid first page-out time as fast as 8.5 seconds, enable you to spend less time at the device and more time focusing on your business.
- **Save more than money.** Standard, automatic two-sided printing saves valuable time and paper, while Power Save and Toner Save modes, and the Earth Smart print driver, let you choose to spend less on electricity and consumables.
- **Powerful and productive.** The standard 256 MB of memory and the 600 MHz processor ensure jobs print quickly and accurately, even when loaded with graphics.
- **Visual impact.** Printing at 4800 x 600 dpi enhanced image quality, together with PCL and PostScript emulations, ensures consistently clear text and sharp graphics.

## Make the complex simple.

- **Wi-Fi Direct.** Now mobile phones, tablets and laptop computers can make a secure connection directly to the printer or multifunction printer even if you don't have an existing wireless network.
- **It's not complicated.** The Xerox® Easy Wireless Setup helps you connect quickly and easily to your Wi-Fi network.
- **Easy to reach.** These devices, featuring quiet operation, built-in wireless networking and compact designs, fit exactly where you need them to be most productive.
- **Multiple media options.** Easily print on a variety of custom sizes and a wide range of media, including transparencies, card-stock, envelopes and postcards.




Phaser 3260. Print.

**One device. Five impressive capabilities.** Streamline business even further with five key office functions consolidated in one easy-to-use product. The Xerox® WorkCentre™ 3225 multifunction printer builds on the significant functionality of the Xerox® Phaser® 3260 with the addition of copying, scanning, email and faxing.

**WorkCentre 3225 highlights:**


- The compact, quiet and lightweight WorkCentre 3225 fits perfectly in tight, busy spaces.
- The user-friendly front panel helps you find your most-used functions fast with easy-to-read buttons and two-line LCD display.
- The 4800 x 600 dpi enhanced image quality produces sharp, detailed images and text.
- Save time copying and scanning multiple page documents with the 40-sheet Automatic Document Feeder.
- Colour and black and white scanning quickly converts paper into electronic documents, ready to be saved to a network, desktop folder or inserted into an application.
- Scan to Email enables sending paper documents directly to email recipients from the front panel – no need to walk back and forth from the multifunction printer to your computer.
- Comprehensive copy features include reduce/enlarge, auto background suppression, 3-level darkness control, collation, ID card copy and N-up layouts.
- A wide array of features ensures that private data remains secure, including SNMPv3 and IPv6 network security protocols, and Secure Fax Receive, which holds a fax until an authorised user logs-in to retrieve it.



WorkCentre 3225. Copy. Print. Scan. Fax. Email.

**Phaser 3260 Quick Facts**

- Built-in Wi-Fi connectivity
  - Print up to 29 ppm letter / 28 ppm A4
  - 600 x 600 dpi; 4800 x 600 dpi enhanced
  - Powerful 600 MHz processor
  - Speedy first-page-out time as fast as 8.5 seconds
- WxDxH:  
14.5 x 13.2 x 8.4 in. / 368 x 335 x 214 mm
- Weight:  
16.8 lbs., 7.6 kg



**WorkCentre 3225 Quick Facts**

- Print and copy up to 29 ppm letter / 28 ppm A4
  - Built-in Wi-Fi connectivity
  - Print up to 600 x 600 dpi; 4800 x 600 enhanced
  - Powerful 600 MHz processor
  - Speedy, first-page-out time as fast as 8.5 seconds
  - Scan up to 600 x 600 dpi in black and white and colour
- WxDxH:  
15.8 x 14.3 x 14.4 in. / 401 x 362 x 365 mm
- Weight:  
25.1 lbs., 11.4 kg

# Xerox® Phaser® 3260 / Xerox® WorkCentre™ 3225

Device Specifications	Phaser 3260D1	Phaser 3260DNI	WorkCentre 3225DNI
Speed	Up to 29 ppm Letter / 28 ppm A4		
Duty Cycle <sup>1</sup>	Up to 30,000 pages / month		
Processor / Memory	600 MHz / 256 MB		
Connectivity	Wi-Fi b/g/n, High-Speed USB 2.0	10/100Base-T Ethernet, Wi-Fi b/g/n, High-Speed USB 2.0	
Print and Copy Resolution	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)		Print: 600 x 600 dpi (Up to 4800 x 600 enhanced image quality); Copy: Up to 1200 x 1200 dpi enhanced image quality
First-page-out Time	As fast as 8.5 seconds		Print: As fast as 8.5 seconds; Copy: As fast as 10 seconds
Page Description Languages	PCL® 5e and 6 emulations, PostScript® 3™ emulation		
Print Features	Toner Save Mode, Booklet Printing, Poster Printing, Skip Blank Pages, N-up Printing, Scaling, Reduce/Enlarge, Fit to Page, Watermarks, Overlays, Custom-size Pages, Print Order, Edge Enhancement, Brightness Adjustment, Contrast Adjustment, Paper Selection by Attribute, Earth Smart Driver Settings, Bidirectional Print Drivers, Job Monitoring, Store and Recall Driver Settings		
Mobile Printing	Apple® AirPrint™, Xerox® PrintBack		
Scan Features	N/A	Scan via TWAIN/WIA, Scan to PC, Scan to WSD, Scan to Email, Up to 600 x 600 dpi resolution, Colour, Black and white, 8-bit Greyscale, PDF/JPEG/TIFF	
Fax Walk-Up Fax Features <sup>2</sup>	N/A	MH/MR/MMR/JBIG/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction Broadcast Sending, Colour Fax Send, Junk Fax Filter, Distinctive Ring, Fax Address Book, Fax Forward to Fax, Secure Fax Receive, Receive Fax Forward to PC	
LAN Fax Features	Broadcast Sending, Fax Address Book		
Security Standard	Secure HTTPS (SSL), IPsec, 802.1X Authentication, WPA2 Personal, IPv4 and IPv6 Filtering, MAC Address Filtering, SNMPv3, USB Port Disablement		
	N/A	Network Authentication (Kerberos/SMB/LDAP), Secure LDAP, SMTP over SSL/TLS, Scan to Email Authentication, WPA2 Enterprise	
Paper Input Standard	<b>Main Tray:</b> Up to 250 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm <b>Manual Feed Slot:</b> 1 sheet; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		<b>Automatic Document Feeder (ADF):</b> 40 sheets; Custom sizes: 5.8 x 5.8 in. to 8.5 x 14 in. / 148 x 148 mm to 216 x 356 mm <b>Main Tray:</b> Up to 250 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm <b>Manual Feed Slot:</b> 1 sheet; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm
Paper Output	150 sheets		120 sheets
Automatic Two-sided Printing	Standard		
Warranty	One-year on-site warranty (geography dependent)		

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; <sup>2</sup> Requires analogue phone line

## Device Management

Xerox® CentreWare® Internet Services, Xerox® CentreWare® Web, Email alerts, Apple® Bonjour, Xerox® Easy Print Manager

## Print Drivers

Microsoft® Windows® 8 (32-/64-bit), 7 (32-/64-bit), Vista (32-/64-bit), 2000, XP (32-/64-bit), 2003 Server (32-/64-bit), 2008 Server (32-/64-bit), 2008R2 (64-bit); Mac OS® 10.5-10.9; Red Hat Enterprise Linux 5, 6; Fedora 11-19; openSUSE 11.0-12.3; Ubuntu 10.04-13.04; SUSE Linux Enterprise Desktop 10, 11; Debian 5.0-7.1; Mint 13-15; Sun Solaris 9, 10, 11 (x86, SPARC); HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium); IBM AIX 5.1-7.1 (PowerPC)

## Font Capability

136 PostScript fonts; 111 PCL fonts

## Media Handling

Automatic Document Feeder: 16 to 28 lb. bond / 60 to 105 gsm

Main Tray: 16 to 43 lb. bond / 60 to 163 gsm

Manual Feed Slot: 16 to 58 lb. bond / 60 to 220 gsm

## Media Types

Plain, Thick, Thin, Envelope, Label, Card Stock, Cotton, Colour, Preprinted, Recycled, Bond, Archive, Transparency

## Operating Environment

Temperature: 50° to 90°F / 10° to 32°C; Humidity: 20% to 80%; Sound Pressure: Printing: 50 dB(A), ADF: 53 dB(A), Standby: Phaser 3260: 30 dB(A); Standby: WorkCentre 3225: 26 dB(A); Warm-up time (from power save): As fast as 14 seconds, FPOT from power save: As fast as 14 seconds

## Electrical

Power: 110-127 VAC, 50/60 Hz, 5.5A or 220-240 VAC, 50/60 Hz, 3.2A; Continuous Printing: 417 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 2.0 watts

## Dimensions (W x D x H)

Phaser 3260: 14.5 x 13.2 x 8.4 in. / 368 x 335 x 214 mm, Weight: 16.8 lb. / 7.6 kg

WorkCentre 3225: 15.8 x 14.3 x 14.4 in. / 401 x 362 x 365 mm, Weight: 25.1 lb. / 11.4 kg

## Certifications

Listed to UL 60950-1/CSA 60950-1-07, 2nd Edition, FDA/CDRH – Class 1 Laser Product, FCC Part 15, Class B, Canada ICES-003, Class B, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 2nd Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class B, EN 55024, RoHS Directive 2011/65/EU, WEEE Directive 2012/19/EU, ENERGY STAR® qualified, Citrix Ready, Green World Alliance, WHQL Blue Angel, NOM, EAC (GOST), GS Mark, EPEAT, Environmental Choice, Apple AirPrint, Mediatech

## What Comes in the Box

- Phaser 3260 Printer or WorkCentre 3225 Multifunction Printer
- Print Cartridge (1,500 page capacity\*)
- Drum Cartridge (10,000 page capacity\*\*)
- Software (Nuance Paperport and Image Retriever, ABBYY FineReader Professional with WorkCentre 3225 only)
- Quick Installation Guide, Driver and Documentation CD
- Power Cable, USB cable
- Fax Cord (WorkCentre 3225)

## Supplies Recycling Programme

Consumables for the Phaser 3260 and WorkCentre 3225 are part of the Xerox Green World Alliance Supplies Recycling Programme. For more information, please visit the Green World Alliance website at [www.xerox.com/gwa](http://www.xerox.com/gwa).

## Supplies

Print Cartridge: 3,000 pages*	106R02778
Dual Pack Print Cartridge: 2 x 3,000 pages*	106R02782
Drum Cartridge: 10,000 pages**	101R00474

\* Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.


\*\* Approximate pages. Declared Yield based on letter-/A4-size 20 lb. (75 gsm) pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.

For more information, visit us at [www.xerox.com/office](http://www.xerox.com/office).

©2014 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Phaser® and WorkCentre are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. 10/14 BR10085 3260R022A

xerox 

108



Превод от английски език

София 1784, Младост-1, 54А

факс: +359 2 9 691 599

тел.: +359 2 9 691 598

office@teza.bg; www.teza.bg



*[Handwritten signature]*

Лого Ксерокс [XEROX]

Док. 08393

Изд. №1

Стр.1/1

### Декларация за съответствие WorkCentre 3215, WorkCentre 3225, WorkCentre 3025, Phaser 3260, Phaser 3052, Phaser 3020

Производител: Ксерокс (ОК) [Xerox (UK)]  
Адрес: Бридж Хаус, Оксфорд Роуд  
Юксбридж UB8 1HS

Описание на продукта: Принтер

Описаният продукт отговаря на изискванията на следните директиви на ЕС:  
Директива за ниското напрежение 2006/95/ЕО  
Директива на Съвета от 12 декември 2006 за хармонизиране на законодателствата на държавите членки по отношение на електрическото оборудване, произведено за използване в определени граници на напрежение

Директива за EMC 2004/108/ЕО  
Директива на Съвета от 15 декември 2004 за сближаване на законодателствата на държавите членки, свързано с електромагнитната съвместимост.

EuP Директива 2005/32/ЕО  
Регулация на Комисията (ЕО) №1275/2008 от 17 декември 2008, въвеждаща Директива 2005/32/ЕО на Европейския парламент и на Съвета относно изискванията за еко дизайн за икономичен режим и режим на изключване на консумацията на електрическа енергия за електрическото и електронното домашно и офис оборудване

Директива ROHS 2011/65/ЕС  
Директива на Европейския праламент и Съвета 2011/65/ЕС от 8 юни 2011 за ограниченията на използването на някои вредни вещества в електрическото и електронното оборудване.

Първа година на маркировката CE 2014  
Съответствието на продукта с изискванията на Директивите на ЕС е установено чрез пълното съответствие със следните стандарти:

#### Хармонизирани Европейски норми

EN55022	2010
EN55024	2010
EN60950-1	2006+A11:2009+A1:2010+A12:2011
EN61000-3-2	2006+A1:2009+A2:2009
EN61000-3-3	2006
EN50581	2012
EN62311	2008

Оторизан от името на Ксерокс Европа/Ксерокс Лимитид/Ксерокс Корпорейшан

Име: Тим Съндерланд

Адрес: Юксбридж, Англия

Дата/: 22.07.2014

Подпис: не се чете

Удостоверявам верността на извършения от мен превод от английски на български език на приложените документи Декларация за съответствие /. Преводът се състои от 1 стр.


Преводач: Румяна Лъчезарова Спасова - Александрова

подпис: ..... /печат

*[Handwritten signature]*

*[Handwritten signature]*  
Вярно съответствие  
2014





DOC-08393  
Issue No.: 1  
Page 1 / 1

**Declaration of Conformity**  
WorkCentre 3215, WorkCentre 3225, WorkCentre 3025,  
Phaser 3260, Phaser 3052, Phaser 3020

**Manufacturer Address**  
Xerox (UK)  
Bridge House, Oxford Road  
Uxbridge  
UB8 1HS

**Product Description**  
Printer

The described product conforms to the requirements of the following EU Directives:  
**LOW VOLTAGE DIRECTIVE**  
Council Directive of December 12, 2006 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits

**2006/95/EC**

**EMC DIRECTIVE**  
Council Directive of December 15, 2004 on the approximation of the laws of the Member States relating to the electromagnetic compatibility

**2004/108/EC**

**EuP DIRECTIVE**  
Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to eco design requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment.

**2005/32/EC**

**ROHS DIRECTIVE**  
Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment

**2011/65/EU**

**FIRST YEAR OF THE CE MARKING**  
Conformity of the product with the requirements of the EU directives is established through full compliance with the following standards:

**2014**

**Harmonized European Normes**


EN55022	2010
EN55024	2010
EN60950-1	2006+A11:2009+A1:2010+A12:2011
EN61000-3-2	2006+A1:2009+A2:2009
EN61000-3-3	2008
EN50581	2012
EN62311	2008

**Authorised on Behalf of Xerox Europe / Xerox Limited / Xerox Corporation:**

Name: Tim Sunderland  
Address: Uxbridge, England  
Date: 22/07/2014  
Signature:



БАНКА Б.О.О.Д.



Превод от английски език

София 1784, Младост-1,54А  
факс: +359 2 9 691 599  
тел.: +359 2 9 691 598  
office@teza.bg; www.teza.bg



Лого:



Номер:0235

Номер на издаване:

Дата: 10 Юли 2014

**Декларация за ограничаване на опасните вещества (RoHS) съгласно Европейска Директива 2002/95/ЕО, Директива 2011/65/ЕС (RoHS 2) и приложимите изменения.**

Производител/Вносител: Ксерокс Великобритания [Xerox UK]

Адрес: Бридж Хаус  
Оксфорд Роад  
Уксбридж  
УБ8 1 ХС  
Великобритания  
Bridge House  
Oxford Road  
Uxbridge  
UB8 1HS  
United Kingdom

Модел на продукта и описание (Включително всички варианти):

**Xerox WorkCentre 3215, Xerox WorkCentre 3225, Xerox WorkCentre 3025**

**Xerox Phaser 3260, Xerox Phaser 3052, Xerox Phaser 3020**

**Декларация:**

От познанията и убежденията ни, продуктът описан по-горе:

Потвърждава изискванията на Директивата на Европейския Съюз 2002/95/ЕО относно ограничаване на опасните вещества в електрическото и електронното оборудване ("RoHS")

Не е субект за или е извън обхвата на RoHS.

Декларацията се основава на регламентирана процедура за RoHS за Xerox, която включва активно ангажиране на доставчиците на Xerox и уверението, което дават независимите сертификати на доставчиците за съответствие, представителство, материални декларации и / или други материали, предоставени на Xerox.

упълномощен от името на Ксерокс Корпорейшън [Xerox Corporation]

Име Майкъл Пикирилли [Michael Piccirilli]


Функция Програмен Мениджър


Адрес Ксерокс Корпорейшън, 800 Филипс Роуд, Уебстер НЙ 14580 [Xerox Corporation]  
800 Phillips Road, Webster NY 14580

Подпис/Не се чете/

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ - Сертификат за съответствие – RoHS Декларация. Преводът се състои от 1 стр.

Преводач: Мила Радмилова Райковска    подпис: /печат/





**Number:** 0235

**Issue No:**

**Date:** July 10, 2014

**RoHS Declaration Pursuant to EU Directive 2002/95/EC (RoHS), EU Directive 2011/65/EU (RoHS 2) and Applicable Amendments**

**Manufacturer/Importer:** Xerox (UK)  
**Address:** Bridge House  
Oxford Road  
Uxbridge  
UB8 1HS  
United Kingdom

**Product Model and Description (Including all options):**

Xerox WorkCentre 3215, Xerox WorkCentre 3225, Xerox WorkCentre 3025  
Xerox Phaser 3260, Xerox Phaser 3052, Xerox Phaser 3020

**Declaration:**

To the best of our knowledge and belief, the product described above:

Conforms to the requirements of the European Union Directive 2002/95/EC and 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS").

Is not subject to or is outside the scope of RoHS.

This declaration is based upon Xerox's RoHS due diligence process, which includes active engagement of Xerox's supplier base and reliance upon suppliers' independent certificates of compliance, representations, material declarations and/or other materials provided to Xerox.

Authorised on behalf of Xerox Corporation

**Name** Michael Piccirilli



**Function** Program Manager

**Address** Xerox Corporation, 800 Phillips Road, Webster NY 14580


**Signature** Michael Piccirilli 7/10/14



Phaser®  
6700  
A4/Letter-size  
Colour  
Printer



Xerox® Phaser® 6700  
Colour Printer  
The new benchmark for  
work group colour printing





The Phaser® 6700 colour printer accelerates work group productivity, giving you more time to focus on what matters most: the success of your business.

With the winning combination of exceptional image quality and blazing fast print speed, the Xerox Phaser 6700 takes your business or large work group to a new level of high-volume productivity. You get unbeatable colour accuracy on every business-critical document you print, with the added benefits of superior ease-of-use and renowned reliability that only come from Xerox.

### Unrivaled performance and productivity

In the push to make your business rise above the competition, the Phaser 6700 colour printer raises the bar when it comes to print quality, performance and reliability.

- **Superior print quality.** The Phaser 6700 delivers true 2400 x 1200 dpi print resolution. Combine that with true Adobe® PostScript® 3™, and there's simply no other work group-class colour printer that makes your colour documents look as realistic as they were intended.
- **No sacrificing speed.** You get exceptional print quality plus incredible performance, with a colour and black and white print speed of up to 47 ppm.
- **Keep the busiest work groups productive.** The 1.25 GHz processor and standard 1 GB system memory handle a steady stream of complex jobs with ease.
- **Your job, your priority.** Our Print Around feature lets you keep the work flowing by moving your job ahead of stalled documents in the print queue.
- **Heavy-duty durability.** The 120,000-page monthly duty cycle supports the heaviest office print volumes.

### Easy in your office, easy on the environment

The Phaser 6700 colour printer combines helpful features engineered to make office life easier for a large group of users, with smart design considerations aimed at boosting your sustainability efforts.



- **Advanced touch screen interface.** The Phaser 6700 colour printer's state-of-the-art 109 mm / 4.3-inch colour touch-screen interface makes walk-up operation fast and extremely easy.
- **Helpful walk-up features.** Embedded help videos provide quick troubleshooting assistance right on the front panel.
- **Standard duplexing.** The Phaser 6700DN, DT and DX configurations come with standard automatic two-sided printing on media up to 220 gsm.
- **EA Toner.** Our EA Toner fuses at a much lower temperature, and reduces power consumption by up to 20% and CO<sub>2</sub> emissions by up to 35%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary paper.
- **Simply smarter.** The Phaser 6700 features Smart Trays — paper trays that alleviate guesswork by showing all available media types and sizes at print time.
- **Lower monthly energy bills.** The Phaser 6700 supports the highest ENERGY STAR® standards for power-saving.\*

\* DN, DT and DX configurations.

### Peace of mind comes standard

With industry-leading security technologies and unmatched reliability, you can depend on the Phaser 6700 colour printer for worry-free operation day after productive day.

- **State-of-the-art security.** The Phaser 6700 offers free 256-bit encryption using the FIPS 140-2 standard. You also get built-in support for IPv6, IPsec, secure HTTPS, and other industry-standard network security features.
- **Keep unauthorised eyes from sensitive documents.** The available Image Overwrite feature completely removes unneeded data from the Phaser 6700 printer's internal storage.
- **Print securely.** The optional Productivity Kit with Hard Drive includes the Secure Print feature, which holds private print jobs in the queue until they're released at the device by the job owner.
- **Engineered to keep performing.** The Phaser 6700 uses long-life consumables for extended, uninterrupted performance. Plus, in the unlikely event that a repair is needed, you're covered by an industry-leading one-year on-site warranty and the unmatched Xerox Total Satisfaction Guarantee.
- **Print more for longer.** A maximum paper input of 2,900 pages and high-capacity toner cartridges keep the Phaser 6700 printing longer with fewer interruptions to reload supplies.
- **Configure once, deploy fleet wide.** No need to configure each printer individually. Device configurations can be cloned and distributed to all other Phaser 6700 colour printers.





**Fast, easy walk-up operation**

The Phaser 6700 features a newly engineered touch screen interface with large, intuitive colour icons for easy navigation.

**The right help, right away**

Embedded help videos provide easy, step-by-step troubleshooting assistance right on the colour touch screen.

- 1 109 mm / 4.3-inch colour touch-screen user interface.
- 2 Fast, automatic two-sided printing is standard on all configurations except 6700N.
- 3 150-sheet multipurpose tray (standard) supports a wide range of media, from executive to card stock to envelopes, in weights up to 220 gsm (80 lb. cover).
- 4 550-sheet tray (standard) allows you to add a full ream of paper.
- 5 Two optional 550-sheet paper feeders provides added convenience and no-hassle media loading.
- 6 Add the 1,100-sheet high-capacity feeder and turn the Phaser 6700 into a convenient floor standing printer with a total paper capacity of 2,900 sheets.
- 7 Optional Finisher includes 1,000-sheet stacking and 50-sheet stapling.
- 8 Optional Productivity Kit with 160 GB hard drive.



Original photo not right? Use the Colour By Words drop-down list and choose "yellow-green colours a lot more green," and "red colours a lot more saturated." Picture-perfect results.

**Colour By Words: Intuitive colour enhancement**

With Colour By Words, there is no need to go back to square one and manipulate source files. You can change the colour of one object or area without affecting the rest of the page. Simply select the desired colour modifications from a drop-down list and your printout is automatically adjusted.

**Phaser® 6700 Quick Facts**


- Print up to 47 ppm
- True 2400 x 1200 dpi
- Powerful 1.25 GHz processor
- Robust 120,000 pages/month duty cycle
- First page out time as fast as 8 seconds



Print


A4 (8.5 x 11 in.)

47 ppm



# Phaser® 6700

## Colour Printer



	Phaser 6700N	Phaser 6700DN	Phaser 6700DT	Phaser 6700DX
<b>Speed</b>	Up to 47 ppm colour / 47 ppm black and white			
<b>Duty Cycle</b>	Up to 120,000 pages / month <sup>1</sup>			
<b>Paper Handling</b>	Standard	Tray 1 (MPT): 150 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm (3 x 5 in. to 8.5 x 14 in.)		
		Tray 2: 550 sheets; Custom sizes: 99 x 191 mm to 216 x 356 mm (3.9 x 7.5 in. to 8.5 x 14 in.)		
	Optional	Additional 550-sheet Tray: Custom sizes: 99 x 191 mm to 216 x 356 mm (3.9 x 7.5 in. to 8.5 x 14 in.)	Standard	Optional
		Additional 1,100-sheet feeder: Custom sizes: 99 x 191 mm to 216 x 356 mm (3.9 x 7.5 in. to 8.5 x 14 in.)	Standard	Optional
Paper output	Standard	500 sheets		
	Optional	Office Finisher: 1,000-sheet stacker, 50-sheet stapling		
Automatic two-sided printing	NA	Standard		
<b>Print</b>				
First-page-out-time	As fast as 8 seconds colour / 7 seconds black and white			
Resolution (max)	Up to 2400 x 1200 dpi			
Processor	1.25 GHz			
Memory (std. / max)	1 GB / 2 GB			
Connectivity	10/100/1000Base-T Ethernet, USB 2.0, Optional external wireless, Apple Bonjour®			
Page description languages	Adobe® PostScript® 3™, PCL® 6 / PCL® 5e emulation, Direct PDF (with optional hard drive)			
Print features	Standard	Earth Smart driver settings, Colour By Words, Collation, Bi-directional driver, Smart Duplex, Layout/watermark		
	Optional	Productivity Kit: 160 GB hard drive; Print Around; Secure Print; Personal Print; Sample Set; Hard Disk Overwrite; Form/Font Storage		
<b>Security</b>	SSLv3, IPsec, 802.1X Authentication, HTTPS, IPPS, SMTP Authentication, IPv6, SNMPv3, IP Filtering, FIPS, 256-bit encryption, Image Overwrite <sup>2</sup>			
<b>Warranty</b>	One-year on-site warranty, Xerox Total Satisfaction Guarantee			

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis. <sup>2</sup> Requires Productivity Kit with Hard Drive.

### Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Cloning, PhaserSMART®, Job Accounting, Usage Analysis, Print Job Tracker, WebJet Admin Interface, Tivoli, Apple® Bonjour

### Print Drivers

Windows® XP, 2003 Server, 2008 Server, Vista, 7; Mac OS® 10.5 and higher, Oracle® Solaris 9, 10, RedHat® Enterprise Linux 4/5, Fedora Core 11-13, SUSE® 11.x, IBM AIX 5™, HP-UX® 11.0/11.1, Novell® NetWare® 5.x, 6.x Open Enterprise Server

### Font Capability

PostScript® Fonts: 173, PCL® Fonts: 94

### Media Handling

Tray 1 (MPT): 60–220 gsm (16–40 lb. bond to 50–80 lb. cover); Tray 2 and Additional 550-sheet trays: 60–220 gsm (16–40 lb. bond to 50–80 lb. cover); 1,100-sheet Feeder: 60–220 gsm (16–40 lb. bond to 50–80 lb. cover); Two-sided output: 60–220 gsm (16–40 lb. bond to 50–80 lb. cover); Media types: Plain paper, Pre-printed, Recycled, Heavyweight, Letterhead, Hole-punched, Cardstock, Heavyweight cardstock, Glossy, Heavyweight glossy, Labels, Envelopes, Transparencies, Custom

### Colour Standards

PANTONE® Colour calibrated solid-colour simulations, Adobe® PostScript® device-independent colour, CIE International colour standards, Colour options, ICC Profile, Apple ColorSync®

### Operating Environment

Temperature: Storage: -20° to 40° C (-4° to 104° F); Operating: 10° to 32° C (50° to 90° F); Humidity: 10% to 85%; Sound pressure levels: Printing: less than 59 dB(A); Standby: less than 26 dB(A); Sound power levels: Printing: less than 7.3 B(A); Standby: less than 4.11 B(A); Warm-up time (from sleep mode): 35 seconds

### Electrical

110-127 VAC, 50/60 Hz, 12 A; Power consumption: Avg. Operations: 637 W, Standby: 116 W, Sleep: 6 W; 220-240 VAC, 50/60 Hz, 6 A; Power consumption: Avg. Operations: 672 W, Standby: 118 W, Sleep: 8 W; ENERGY STAR® qualified (DN, DT, DX configurations)

### Dimensions (WxDxH)

6700N/DN: 560 x 516 x 429 mm (22 x 20.3 x 16.9 in.), Weight: 42.2 kg (93 lbs.); 6700DT: 560 x 516 x 563 mm (22 x 20.3 x 22.2 in.), Weight: 52 kg (114 lbs.); 6700DX: 560 x 516 x 780 mm (22 x 20.3 x 30.7 in.), Weight: 62.8 kg (138 lbs.)

### Certifications

FCC Part 15, Class A, Listed UL 60950-1/CSA 60950-1-07, CE Marking applicable to Directives 2004/108/EC and 2006/95/EC, GOST, Section 508 ADA, ENERGY STAR® qualified (DN, DT, DX configurations)

### Supplies

Standard-capacity toner cartridge:

Black: 7,100 pages<sup>1</sup> 106R01514  
 Cyan: 5,000 pages<sup>1</sup> 106R01511  
 Magenta: 5,000 pages<sup>1</sup> 106R01512

Yellow: 5,000 pages<sup>1</sup> 106R01513  
 High-capacity toner cartridge:  
 Black: 18,000 pages<sup>1</sup> 106R01526  
 Cyan: 12,000 pages<sup>1</sup> 106R01523  
 Magenta: 12,000 pages<sup>1</sup> 106R01524  
 Yellow: 12,000 pages<sup>1</sup> 106R01525  
 Staples (3-boxes) 008R12941

### Routine Maintenance Items

Cyan Imaging unit: 50,000 pages<sup>2</sup> 108R00971  
 Magenta Imaging Unit: 50,000 pages<sup>2</sup> 108R00972  
 Yellow Imaging unit: 50,000 pages<sup>2</sup> 108R00973  
 Black Imaging Unit: 50,000 pages<sup>2</sup> 108R00974  
 Waste Cartridge: 25,000 pages<sup>2</sup> 108R00975

<sup>1</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19758.

Yield will vary based on image, area coverage and print mode.

<sup>2</sup> Approximate pages. Declared yield based on an average job size of 4 A4-letter-size pages. Yield will vary depending on job run length and media size and orientation.

### Options

550-sheet Tray 097S04150  
 1,100-sheet Tray 097S04151  
 Stand 097S04245  
 Productivity Kit with Hard Drive 097S04179  
 Office Finisher 097S04152  
 – 1,000-sheet stacker, 50-sheet stapling  
 Wireless Network Adapter  
 – N. America Power Converter 097S03740  
 – European Power Converter 097S03741  
 – UK Power Converter 097S03742



For more information visit us at [www.xerox.com/office](http://www.xerox.com/office)

©2011 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. XEROX®, XEROX and Design®, CentreWare® and Phaser® are trademarks of Xerox Corporation in the United States and/or other countries. Adobe® and PostScript® 3™ are registered trademarks or trademarks of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. BR145, 10/11 670BR-011A





Лого:



DOC- 08347  
Издание No.:4  
Страница 1 / 1

**ЕВРОПЕЙСКА ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ**  
**Phaser 6700**

Производител	Ксерокс (ВБ) [Xerox (UK)]
Адрес	Оксфорд Роуд Уксбридж UW8 1HS
Обект на Декларация	Принтер Интегрирани възможности и консумативи

Декларацията е в съответствие под единствената отговорност на производителя. Обектът на декларацията описан по-горе е в съответствие със съответното хармонизирано Европейско законодателство:

**ДИРЕКТИВА ЗА НИСКОТО НАПРЕЖЕНИЕ** 2014/35/EC  
Директива 2014/35EC на Европейския Парламент и Съвета от 26 Февруари 2014 за хармонизация на законодателствата на държавите членки, свързано с пускането на пазара електронно оборудване, за използване в определени граници на напрежение.

**ДИРЕКТИВА EMC** 2014/30/EC  
Директива 2014/30EC на Европейския Парламент и Съвета от 26 Февруари 2014 за хармонизацията на законодателствата на държавите членки по отношение на електромагнитната съвместимост.

**ДИРЕКТИВА ROHS** 2011/65/EU  
Директива 2011/65/EC на Европейския Парламент и Съвета от 8 юни 2011 за ограничаване използването на някои опасни вещества в електрическото и електронното оборудване


**ПЪРВА ГОДИНА НА МАРКИРОВКАТА** 2011

Хармонизирани Европейски Норми	
EN55022	2010
EN55024	2010
EN61000-3-2	2006+A1:2009+A2:2009
EN61000-3-3	2013
EN60950-1	2006+A11:2009+A1:2010+A12:2011+A2:2013
EN60825-1	2007
EN62311	2008
EN50581	2012

Оторизиран от името на Корпорация Ксерокс  
Име: Джозеф Дж. Стулб  
Длъжност: Мениджър Безопасност на продуктите  
Адрес: Уебстер, Ню Йорк, САЩ  
Дата: 20/04/2016  
Подпис: /не се чете/

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Декларация за съответствие /. Преводът се състои от 1 стр.

Преводач: Мила Радмилова Райковска    подпис: /печат/





*[Handwritten signature]*

DOC-08347  
Issue No.: 4  
Page 1 / 1

# EU Declaration of Conformity

## Phaser 6700

**Manufacturer Address**

Xerox (UK)  
Oxford Road  
Uxbridge  
UB8 1HS

**Object of Declaration**

Printer  
Integrated options and supplies

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

**LOW VOLTAGE DIRECTIVE**

**2014/35/EU**

Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits

**EMC DIRECTIVE**

**2014/30/EU**

Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility

**ROHS DIRECTIVE**

**2011/65/EU**

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment

**FIRST YEAR OF THE CE MARKING**

**2011**

### Harmonised European Normes

EN55022	2010
EN55024	2010
EN61000-3-2	2006+A1:2009+A2:2009
EN61000-3-3	2013
EN60950-1	2006+A11:2009+A1:2010+A12:2011+A2:2013
EN60825-1	2007
EN62311	2008
EN50581	2012

**Authorised on Behalf of Xerox Corporation:**


Name	Joseph J. Stulb
Function	Product Safety Manager
Address	Webster, NY USA
Date:	20/4/2016
Signature	<i>[Handwritten signature]</i>

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*





Превод от английски език

София 1784, Младост-1,54А  
Факс: +359 2 9 691 599  
Тел.: +359 2 9 691 598  
office@teza.bg; www.teza.bg



Лого:



**Сертификат за съответствие:**

Този сертификат показва, че заявителят е изпълнил изискванията на Интертек [Intertek] за прилагането на марка ЕПА ЕНЕРДЖИ СТАР [EPA ENERGY STAR] за модела (ите), описани в раздела на закрити продукт (ит) на съотнесеня доклад за съвместимост когато извършва в съответствие с условията, заложен в Споразумението за сертифициране за енергийна ефективност, Доклада за сертифициране и Наръчника на програмата.

Този сертификат се издава при условие, че постигнатото от заявителя, и оставането в съответствието с всички отделни изисквания на програмата ЕПА ЕНЕРДЖИ СТАР [EPA ENERGY STAR], необходими за използването на Марка ENERGY STAR. Този документ е собственост на Интертек Тестинг Сървис Intertek Testing Services и не може да се прехвърля.

<b>Компания</b>	Ксерокс Корп Ксерокс Корп	<b>ОЕМ Име:</b>	Ксерокс Корп Ксерокс Корп
<b>Адрес:</b>	800 Пилипс роуд Уебстер, НЙ 14580 [800 Phillips Road WEBSTER, NY 14580]	<b>Адрес:</b>	800 Пилипс роуд Уебстер, НЙ 14580 [800 Phillips Road WEBSTER, NY 14580]
<b>Държава:</b>	САЩ	<b>Държава:</b>	САЩ
<b>Контакт:</b>	Г-н. Майкъл О'Брейн [Mr. Michael O'Brien]	<b>Контакт:</b>	Г-н. Майкъл О'Брейн [Mr. Michael O'Brien]
<b>Телефон:</b>	(585)231-5445	<b>Телефон:</b>	(585)231-5445
<b>Факс:</b>	(585)422-8217	<b>Факс:</b>	(585)422-8217
<b>Електронна поща:</b>	<a href="mailto:michael.obrien@xerox.com">michael.obrien@xerox.com</a>	<b>Електронна поща:</b>	<a href="mailto:michael.obrien@xerox.com">michael.obrien@xerox.com</a>


**Доклад издаван от офис на трета страна:** Интертек [Intertek; 545 E. Algonquin Rd Suite G; Arlington Heights, IL 60005]

**Контролен номер:** 4002919

**Упълномощен:** Подпис/не се чете/  
Томас Дж. Паттерсон, Мениджър Сертификация  
[Thomas J. Patterson, Certification Manager]

Този документ отменя всички предишни Сертификат за съответствие на отбелязания , номер на документа.

Този сертификат е за изключително ползване на Клиент на Интертек [Intertek] и се предоставя по силата на споразумението между Интертек [Intertek] и неговия клиент. Отговорността и задълженията на Интертек [Intertek] са ограничени до условията на реда на споразумението. Интертек [Intertek] не поема отговорност за всяка страна, различна от тази на Клиента в съответствие с договора за всяка загуба, разход или вреди, причинени от използването на този Сертификат. Само Клиентът има право да копира или разпространява този сертификат. Всяко използване на името на Интертек [Intertek] или една от нейните марки за промотивни



Интертек Тестинг Сървис НА Инк.  
545 Йист Алгонкин роуд, Арлингтон Хейтс, ИЛ 60005  
Телефон 800-345-3851 или 847-439-5667 Факс 312-283-1672  
[www.intertek.com](http://www.intertek.com)  
[Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672  
[www.intertek.com](http://www.intertek.com)]

**Стандарт(и):** ENERGY STAR® Програмни изисквания за възпроизвеждане на изображения  
Версия 2.0  
[ENERGY STAR® Program Requirements for Imaging Equipment Version 2.0]

**Продукт:** Цветен Принтер

**Модел:** Phaser 6700DX;Phaser 6700DN;Phaser 6700DT

Сертификат за Доклад 101216795CHI-034

Издаден Сертификат на: 12-Декември-2013

RT-C-PD0002 (01-Юли-2013) Задължително

Удостоверявам верността на извършения от мен превод от английски на български език на приложния документ - Сертификат за съответствие. Преводът се състои от 2 стр.

Преводач: Мила Радмилова Райковска подпис: ..... /печат/





# CERTIFICATE OF CONFORMITY

This Certificate indicates that the Applicant has satisfied the Intertek requirements for the application of the EPA ENERGY STAR Mark to the model(s) described in the Product(s) Covered section of the referenced Compliance Report when made in accordance with the conditions set forth in the Energy Efficiency Certification Agreement, the Certification Report and the Program Manual. This certificate is issued subject to the Applicant attaining, and remaining in, compliance with any separate EPA ENERGY STAR Program requirements necessary for use of the ENERGY STAR Mark. This document is the property of Intertek Testing Services and is not transferable.

**Company:** Xerox Corp  
Xerox Corp  
**Address:** 800 Phillips Road  
WEBSTER, NY 14580  
**Country:** USA  
**Contact:** Mr. Michael O'Brien  
**Phone:** (585)231-5445  
**FAX:** (585)422-8217  
**Email:** michael.obrien@xerox.com

**OEM name:** Xerox Corp.  
Xerox Corp  
**Address:** 800 Phillips Road  
WEBSTER, NY 14580  
**Country:** USA  
**Contact:** Mr. Michael O'Brien  
**Phone:** (585)231-5445  
**FAX:** (585)422-8217  
**Email:** michael.obrien@xerox.com

**3rd-party Report Issuing Office:** Intertek; 545 E. Algonquin Rd Suite G; Arlington Heights, IL 60005

**Control Number:** 4002919

**Authorized by:** \_\_\_\_\_


Thomas J. Patterson, Certification Manager

This document supersedes all previous Certificate of Conformity for the noted Report Number.

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to copy or distribute this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Certificate are relevant only to the sample tested.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672  
www.intertek.com

<b>Standard(s):</b> ENERGY STAR® Program Requirements for Imaging Equipment Version 2.0
<b>Product:</b> Color Printer
<b>Models:</b> Phaser 6700DX;Phaser 6700DN;Phaser 6700DT







**ТЕЗА ООД**  
**ЦЕНТЪР ЗА ПРЕВОДИ**

Превод от английски език

София 1784, Младост-1,54А

факс: +359 2 9 691 599

тел: +359 2 9 691 598

office@teza.bg; www.teza.bg



Лого:



Номер:0190

Номер на издаване:

Дата: 19 октомври 2011

**Декларация за ограничаване на опасните вещества (RoHS) съгласно Европейска Директива 2002/95/ЕО и приложимите изменения.**

**Производител/Вносител:** Ксерокс [Херох]  
**Адрес:** Басесемер Роуд  
Велвин Гарден Сити  
Хертфордшир  
АЛ7 1ХЕ  
Великобритания  
Bessemer Road  
Welwyn Garden City  
Hertfordshire  
AL7 1HE  
United Kingdom

**Модел на продукта и описание (Включително всички варианти):**

Машини Phaser 6700  
097S04150 Тава с 550 листа  
097S04151 Тава с 1, 100 листа  
097S04152 Office Fisher повдигач за 1,000 листа, закрепване на 50 листа  
097S04179 Производителен комплект с хард драйв  
097S04396 2 ГБ памет  
097S04245 Стенд

**Декларация:**

От познанията и убежденията ни, продуктът описан по-горе:

Потвърждава изискванията на Директивата на Европейския Съюз 2002/95/ЕО относно ограничаване на опасните вещества в електрическото и електронното оборудване ("RoHS")

Не е предмет за или е извън обхвата на RoHS.

Декларацията се основава на регламентирана процедура за RoHS за Херох, която включва активно ангажиране на доставчиците на Херох и уверението, което дават независимите сертификати на доставчиците за съответствие, представителство, материални декларации и / или други материали, предоставени на Херох.

упълномощен от името на Ксерокс Корпорейшън [Xerox Corporation]

**Име** Доуг Дженкинс [Doug Jenkins]  
**Функция** Вице-президент [A4 Partnered Platform Delivery ]  
**Адрес** 26600 SW Паркуей Авеню [26600 SW Parkway Avenue], Уилсонвил, Орегон, 97070  
**Подпис** /Не се чете/



Удостоверявам верността на извършения от мен превод от английски на български език на приложния документ - RoHS Декларация. Преводът се състои от 1 стр.

Преводач: Румяна Лъчезарова Спасова-Александрова подпис: ..... /печат/





Number: 0190  
Issue No:  
Date: 19-Oct-2011

**RoHS Declaration Pursuant to EU Directive 2002/95/EC (RoHS) and Applicable Amendments**

**Manufacturer/Importer:** Xerox  
**Address:** Bessemer Road  
Welwyn Garden City  
Hertfordshire  
AL7 1BU  
United Kingdom

**Product Model and Description (Including all options):**

- Phaser 6700 engines
- 097S04150 550-sheet Tray
- 097S04151 1,100-sheet Tray
- 097S04152 Office Finisher 1,000-sheet stacker, 50-sheet stapling
- 097S04179 Productivity Kit with Hard Drive
- 097S04396 2 GB Memory
- 097S04245 Stand

**Declaration:**

To the best of our knowledge and belief, the product described above:

X Conforms to the requirements of the European Union Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS").


Is not subject to or is outside the scope of RoHS.


This declaration is based upon Xerox's RoHS due diligence process, which includes active engagement of Xerox's supplier base and reliance upon suppliers' independent certificates of compliance, representations, material declarations and/or other materials provided to Xerox. Authorised on behalf of Xerox Corporation

**Name** Doug Jenkins


**Function** Vice President, A4 Partnered Platform Delivery

**Address** 26600 SW Parkway Avenue, Wilsonville, Oregon 97070


**Signature** 




Xerox® Phaser® 3610 and  
Xerox® WorkCentre® 3615  
Letter / A4 Size  
Black and White Printer  
and Multifunction Printer



Phaser® 3610 Printer and  
WorkCentre® 3615  
Multifunction Printer  
More speed. More expandability.  
Professional quality results.



xerox   
124

# Xerox® Phaser® 3610 Printer and Xerox® WorkCentre® 3615 Multifunction Printer

Produce professional-looking documents quickly. With the Phaser 3610 printer and WorkCentre 3615 multifunction printer, you'll get best-in-class speed<sup>1</sup>, expanded capabilities and professional-looking print quality for your busy office.

## Your Productive Advantage

With best-in-class<sup>1</sup> speed, print resolution and media capacity, your busy office can maximise workflow and minimise waiting.

- **Built for speed.** Press print and the Phaser 3610 and WorkCentre 3615 are off and running, delivering 47 ppm – the fastest black and white print speed in their class<sup>1</sup>.
- **True multifunction capability.** The intuitive 4.3-inch colour touch screen on the WorkCentre 3615 lets you programme your next job while another is in progress.
- **Digitise...and simplify.** Easily turn cumbersome hard copy forms and documents into portable, digital files. Enjoy the added convenience of sharing your digital files automatically via email. You can even send your files to an established network folder or export them to any USB memory device.
- **Easily scan legal-sized pages.** With the WorkCentre 3615 legal-sized platen, you can scan larger pages without disassembling your bound documents.
- **Expand your capabilities.** Customise to your specific business needs with optional Wi-Fi or Productivity Kit. Plus, adding up to three additional trays lets you expand your work to fit different paper sizes and stocks, or extend media capacity during peak workloads.
- **Dependable day after day.** Enjoy quick startup and everyday operation. Plus handle device administration remotely from any networked computer's browser with Xerox® CentreWare® IS.
- **Print when and where you want.** With Apple® AirPrint™, you can print email, and important office documents directly from your mobile iOS device when connected to your office Wi-Fi network. And when working offsite, you can use Xerox® PrintBack to print documents back at the office so they are waiting for you when you return.

## Powerful Capabilities Made Affordable


Even small work teams can benefit from the powerful and affordable options and capabilities delivered by the Phaser 3610 and WorkCentre 3615.

- **All-in-one savings.** The WorkCentre 3615 combines the functions of a copier, printer, scanner and fax machine into a single value-packed unit that can generate savings on energy and supplies costs.
- **Reduce your paper usage.** You'll dramatically cut your paper usage and related costs thanks to automatic two-sided printing (DN configurations). Plus, N-up printing lets you print multiple pages on one sheet – a useful option when sharing presentations.
- **Freedom, unplugged.** With optional Wi-Fi capabilities, the Phaser 3610 and WorkCentre 3615 are ready to go to work wherever they're needed, regardless of wired network infrastructure.
- **Increase your efficiency.** Extra-high capacity toner cartridges allow you spend less time loading supplies and more time getting work done.
- **Keep your information safe.** Secure Print keeps your sensitive documents out of the wrong hands by requiring users to enter a personal identification number at the device to print documents.

## Attention-grabbing Print Quality


No matter what business you're in, the Phaser 3610 and WorkCentre 3615 deliver images that get your work noticed.

- **Crisp details.** Add definition and clarity to your documents with true print resolution of up to 1200 x 1200 dpi. Your printed communications never looked better.
- **Unique Xerox® EA Toner.** Fuses at a much lower temperature, reducing power consumption by up to 20% and CO<sub>2</sub> emissions by up to 35%, compared to conventional toner.






Phaser 3610. Print.

<sup>1</sup> Letter speed, when compared to similar products, as of September 2013.





**A full productivity toolbox in one powerful device.** Choose your task. The Xerox® WorkCentre® 3615 Multifunction Printer has the right tools to deliver outstanding performance, so you're more productive and efficient every day.



- 1** A 60-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.
- 2** The WorkCentre 3615 includes a 4.3-inch touch screen with easily understood instructions and help screens to streamline walkup operations.
- 3** An easily accessible USB port allows users to quickly print from or scan to any standard USB memory device.
- 4** 250-sheet output tray with tray-full sensor.
- 5** 150-sheet Multipurpose Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- 6** With the 550-sheet paper tray, standard paper capacity totals 700 sheets.
- 7** Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8** Optional stand provides storage for toner cartridges, paper and other supplies.
- 9** Place the Phaser 3610 or WorkCentre 3615 anywhere you need it with the optional Wireless Networking Adapter.

WorkCentre 3615. Print. Copy. Scan. Fax. Email.



Device Specifications		Xerox® Phaser® 3610N	Phaser 3610DN	Xerox® WorkCentre® 3615DN
Speed		Up to 47 ppm letter / Up to 45 ppm A4		
Duty Cycle		Up to 110,000 pages / month <sup>1</sup>		
Processor / Memory		400 MHz / 512 MB (1 GB max. with optional Productivity Kit)		525 MHz / 1 GB
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 Direct Print <sup>2</sup> , Optional Wi-Fi (with Xerox® Wireless Networking Adapter)		
Print and Copy Resolution		Up to 1200 x 1200 dpi		Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
First-page-out Time (as fast as)		As fast as 6.5 seconds		Print: As fast as 6.5 seconds; Copy: As fast as 8.5 seconds
Page Description Languages		PCL™ 5e and 6 emulations, PostScript™ 3™ emulation, PDF emulation		
Print Features		Booklet printing, Scaling, Fit to page, Watermarks, Custom-size pages, N-up, Toner Save mode, Secure Print, Collection, Print from USB memory device <sup>3</sup>		
Mobile Printing		Apple AirPrint™, Xerox® PrintBack		
Scan Speed		NA	Up to 40 images per minute (ipm)	
Destinations		NA	TWAIN/WIA Scanning via USB or Network. Scan to Computer via SMB. Scan to Server via FTP. Scan to Email with LDAP support. Scan to USB Memory Device, WSD Scanning	
Features			JPEG/TIFF/Multipage TIFF/PDF File Formats, Up to 1200 x 1200 dpi, 24-bit Full Color Scanning, Email Address Book (up to 100 email addresses, up to 10 email group addresses), Express Scan Manager, Xerox® Scan to PC Desktop <sup>2</sup> SE Small Business Edition (1-seat license), Scan to Network Address Book (up to 32 destinations)	
Fax Fax Features <sup>3</sup>		NA	MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forwarding to Fax, Email and Server with/without Local Print Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive	
LAN Fax Features			Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (up to 500 speed dial numbers, up to 500 group dial, phonebook stored on PC)	
Security Standard		Secure HTTPS (SSL, Secure LDAP), IPsec, 802.1X Authentication, Network Authentication, IPv6, SNMPv3, IP Filtering, Secure Print, Secure Fax Receive		
Paper Input Standard		NA	Duplex Automatic Document Feeder (DADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)	
			Multipurpose Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm	
			Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
	Optional		3 Additional Trays: Up to 550 sheets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
Total Capacity (std. / max.)		700 sheets / 2,350 sheets		
Paper Output		250 sheets		
Automatic Two-sided Output		N/A	Standard	
Warranty		One-year on-site warranty, Xerox® Total Satisfaction Guarantee <sup>4</sup>		

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; <sup>2</sup> Available on the WorkCentre 3615 only; <sup>3</sup> Requires analogue phone line; <sup>4</sup> Geography dependent.

#### Device Management

Xerox® CentreWare® IS Services, CentreWare® Web, Email Alerts, Apple® Bonjour

#### Print Drivers

Microsoft® Windows® XP and above, 2003 Server and above; Mac OS® 10.5 and above; Red Hat® Enterprise 4, 5; Fedora® Core 14–16; SUSE® 11, 12; IBM® AIX-5®; HP-UX® 11, 11i; Solaris® 9, 10; Ubuntu®, Xerox® Global Print Driver<sup>2</sup>, Xerox® Mobile Express Driver<sup>2</sup>

#### Font Capability

136 PostScript Fonts; 93 PCL Fonts

#### Media Handling

Duplex Automatic Document Feeder: Simplex: 13 to 32 lb. bond / 50 to 125 gsm; Duplex: 13 to 32 lb. bond / 50 to 125 gsm; Multipurpose Tray: 16 lb. bond to 80 lb. cover / 60 to 216 gsm; Tray 1: 16 lb. bond to 80 lb. cover / 60 to 216 gsm; 3 Additional Trays (Optional): 16 lb. bond to 80 lb. cover / 60 to 216 gsm

#### Media Types

Plain, Plain Thick, Card Stock, Lightweight / Heavyweight, Rough Surface, Labels, Envelopes, Letterhead, Hole Punched

#### Operating Environment

Temperature: 59° to 82° F / 15° to 28° C; Humidity: 20% to 70%; Sound Power: Printing: 7.48 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56.0 dB(A); Standby: 30 dB(A); Warm-up Time (from Power Save – UI Ready): <20 seconds; Warm-up Time from Power Save (first page printed): <20 seconds

#### Electrical

Power: 110–127 VAC, 50/60 Hz, 11A or 220–240 VAC, 50/60 Hz, 6A; Phaser 3610: Continuous Printing: 686 watts; Ready (Standby): 52 watts; energy Saver Mode (Sleep): 2 watts; WorkCentre 3615: Continuous Printing: 698 watts; Ready (Standby): 59 watts; energy Saver Mode (Sleep): 4 watts

#### Dimensions (W x D x H)

3610N/DN: 15.5 x 16.8 x 12.4 in. / 393 x 426 x 315 mm, Weight: 28.7 lb. / 13 kg; 3615: 19.5 x 19.4 x 21.6 in. / 495 x 492 x 549 mm, Weight: 47.4 lb. / 21.5 kg

#### Certifications

UL 60950-1:2007/CSA 60950-1-07+A1:2011, FDA/CDRH – Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 1st Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class B, RoHS Directive 2011/65/EU, WEEE Directive 2002/96/EC, ENERGY STAR® qualified (3610DN configuration and WorkCentre 3615), Citrix Ready, Blue Angel

#### What Comes in the Box

- Phaser 3610 Printer or WorkCentre 3615 Multifunction Printer
- Toner Cartridge (5,900 page capacity\*)
- Drum Cartridge
- Quick Installation Guide, Quick Use Guide, Driver CD, Documentation CD (User Manual, System Admin Guide)
- Power Cable
- Fax Cord (WorkCentre 3615)

#### Supplies Recycling Programme

Consumables for the Phaser 3610 and WorkCentre 3615 are part of the Xerox Green World Alliance Supplies Recycling Programme. For more information, please visit the Green World Alliance website at [www.xerox.com/gwa](http://www.xerox.com/gwa).

#### Supplies

Standard Capacity Toner Cartridge: 5,900 pages*	106R02721
High Capacity Toner Cartridge: 14,100 pages*	106R02723
Extra-high Capacity Toner Cartridge: 25,300 pages*	106R02732
Drum Cartridge: 85,000 pages	113R00773

#### Options

550-sheet Feeder (WorkCentre 3615)	497K13630
550-sheet Feeder (Phaser 3610)	497K13620
Productivity Kit (512 MB RAM Memory)	
– Phaser 3610 only	497K13640
Productivity Kit (4 GB Device Memory)	497K13650
Stand	497K13660
Wireless Networking Adapter	097S04409

\* Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

For more information, visit us at [www.xerox.com/office](http://www.xerox.com/office)

©2013 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Global Print Driver®, Mobile Express Driver®, Phaser®, Scan to PC Desktop® and WorkCentre® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN configurations). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. 9/13 BR6697 16CBB-021A

xerox

127



*[Handwritten signature]*

Лого:



DOC- 08378  
Издание No.:2  
Страница 1 / 1

**ЕВРОПЕЙСКА ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ**  
**WorkCentre 3615DN**

Производител	Ксерокс Лимитид [Xerox Limited]
Адрес	Бесемер Роуд Уелуин Гардън Сити Хертфордшир AL7 1HE, ОК
Описание на продукта	Мултифункционално оборудване

Описаният продукт съответства на изискванията на следните Директиви на ЕС:

**ДИРЕКТИВА ЗА НИСКОТО НАПРЕЖЕНИЕ** 2006/95/ЕК  
Директива на Съвета от 12 декември 2006 за хармонизация на законодателствата на държавите членки, свързано с пускането на пазара електронно оборудване, за използване в определени граници на напрежение.

**ДИРЕКТИВА EMC** 2004/108/ЕК  
Директива на Съвета от 15 декември 2004 за хармонизацията на законодателствата на държаните членки по отношение на електромагнитната съвместимост.

**ДИРЕКТИВА ЗА ПЛАНИРАНЕ НА РЕСУРСИТЕ НА ПРЕДПРИЯТИЕТО/ЕРП/** 2005/32/ЕК  
Регламент на Комисията (ЕК) No 1275/2008 от 17 декември 2008, в изпълнение на Директива 2005/32/ЕК на Европейския парламент и на Съвета относно изискванията за еко дизайн за стендбай и изключен режим на консумацията на енергия на електрическо и електронно домакинско и офис оборудване.

**ДИРЕКТИВА ROHS** 2011/65/EU  
Директива 2011/65/ЕС на Европейския Парламент и Съвета от 8 юни 2011 за ограничаване използването на някои опасни вещества в електрическото и електронното оборудване

**ПЪРВА ГОДИНА НА МАРКИРОВКАТА** 2013  
Съответствието на продукта с изискванията на директивите на ЕС е установено чрез пълното съответствие със следните стандарти:

*[Handwritten signature]*

**Хармонизирани Европейски Норми**

EN60950-2	2006+A1:2010+A11:2009+A12:2011	EN300 328 v1.7.1	2006-10
EN55022	2010	EN301 489-1 v1.8.1	2008-04
EN55024	2010	EN301 489-17 v2.1.1	2009-05
EN61000-3-2	2006+1:2009+A2:2009	ES203 021-1 v2.1.1	2005
EN61000-3-3	2008	ES203 021-2 v2.1.1	2006
EN60825-1	2007	ES203 021-3 v2.1.1	2005
EN50581	2012	ES201 187 v1.1.1	1999
EN62311	2008		

Оторизиран от името на Ксерокс Европа/ Ксерокс Лимитид/Корпорация Ксерокс

Име: Тим Съндерланд  
Адрес: уелуин Гардън Сити, Англия  
Дата: 29/08/2013  
Подпис: /не се чете/


Удостоверявам верността на извършения от мен превод от английски на български език на приложеня документ /Декларация за съответствие /. Преводът се състои от 1 стр.

Преводач: Мила Радмилова Райковска подпис: *[Signature]* /печат/

*[Handwritten signature]*



828



DOC-08378  
Issue No.: 2  
Page 1 / 1

### Declaration of Conformity WorkCentre 3615DN

**Manufacturer  
Address**

Xerox Limited  
Bessemer Road  
Welwyn Garden City  
Hertfordshire AL7 1HE, UK

**Product Description**

Multi-Function Equipment

The described product conforms to the requirements of the following EU Directives:

**LOW VOLTAGE DIRECTIVE**

**2006/95/EC**

Council Directive of December 12, 2006 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits

**EMC DIRECTIVE**

**2004/108/EC**

Council Directive of December 15, 2004 on the approximation of the laws of the Member States relating to the electromagnetic compatibility

**EuP DIRECTIVE**

**2005/32/EC**

Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to eco design requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment.

**ROHS DIRECTIVE**

**2011/65/EU**

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment

**FIRST YEAR OF THE CE MARKING**

**2013**

Conformity of the product with the requirements of the EU directives is established through full compliance with the following standards:

**Harmonized European Normes**


EN60950-2	2006+A1:2010+A11:2009+A12:2011	EN300 328 v1.7.1	2006-10
EN55022	2010	EN301 489-1 v1.8.1	2008-04
EN55024	2010	EN301 489-17 v2.1.1	2009-05
EN61000-3-2	2006+1:2009+A2:2009	ES203 021-1 v2.1.1	2005
EN61000-3-3	2008	ES203 021-2 v2.1.1	2006
EN60825-1	2007	ES203 021-3 v2.1.1	2005
EN50581	2012	ES201 187 v1.1.1	1999
EN62311	2008		

**Authorised on Behalf of Xerox Europe / Xerox Limited / Xerox Corporation:**

Name: Tim Sunderland  
Address: Welwyn Garden City, England  
Date: 29/08/2013  
Signature:







Превод от английски език

София 1784, Младост-1;54А

факс: +359 2 9 691 599

тел.: +359 2 9 691 598

office@teza.bg; www.teza.bg



Handwritten signature



Лого:

Номер:0228

Номер на издаване:

Дата: 11 октомври 2013

**Декларация за ограничаване на опасните вещества (RoHS) съгласно Европейска Директива 2002/95/ЕО, Директива 2011/65/ЕС (RoHS 2) и приложимите изменения.**

Производител/Вносител: Ксерокс Великобритания [Xerox UK]

Адрес: Басесемер Роуд  
Велвин Гарден Сити  
Хертфордшир  
AL7 1XE  
Великобритания  
Bessemer Road  
Welwyn Garden City  
Hertfordshire  
AL7 1HE  
United Kingdom

Модел на продукта и описание (Включително всички варианти):

Phaser 3610, WorkCentre 3615

**Декларация:**

От познанията и убежденията ни, продуктът описан по-горе:

Потвърждава изискванията на Директивата на Европейския Съюз 2002/95/ЕО относно ограничаване на опасните вещества в електрическото и електронното оборудване ("RoHS")

Не е субект за или е извън обхвата на RoHS.

Декларацията се основава на регламентирана процедура за RoHS за Xerox, която включва активно ангажиране на доставчиците на Xerox и уверението, което дават независимите сертификати на доставчиците за съответствие, представителство, материални декларации и / или други материали, предоставени на Xerox.


упълномощен от името на Ксерокс Корпорейшън [Xerox Corporation]

Име Майкъл Пикирилли [Michael Piccirilli]  
Функция Програмен Мениджър  
Адрес 800 Филипс РД, Уебстер НЙ 14580 [800 Phillips Road, Webster NY 14580]

Подпис/Не се чете/

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ - Сертификат за съответствие - RoHS Декларация. Преводът се състои от 1 стр.

Преводач: Мила Радмилова Райковска /подпис/ /печат/



Handwritten signature

130



Number: 0228  
 Issue No:  
 Date: October 11, 2013

**RoHS Declaration Pursuant to EU Directive 2002/95/EC (RoHS), EU Directive 2011/65/EU (RoHS 2) and Applicable Amendments**

**Manufacturer/Importer:** Xerox  
**Address:** Bessemer Road  
 Welwyn Garden City  
 Hertfordshire  
 AL7 1HE  
 United Kingdom

**Product Model and Description (Including all options):**

Phaser 3610, WorkCentre 3615

**Declaration:**

To the best of our knowledge and belief, the product described above:

X Conforms to the requirements of the European Union Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS").


Is not subject to or is outside the scope of RoHS.

This declaration is based upon Xerox's RoHS due diligence process, which includes active engagement of Xerox's supplier base and reliance upon suppliers' independent certificates of compliance, representations, material declarations and/or other materials provided to Xerox.

Authorised on behalf of Xerox Corporation

Name MICHAEL PICCINELLI  
 Function PROGRAM MANAGER  
 Address 800 PHILLIPS RD, WEBSTER NY 14580  
 Signature [Signature]





KONICA MINOLTA

Giving Shape to Ideas

Изх. номер: 201695 / 26.07.2016

ДО: Министерство на здравеопазването

Относно: „Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на МЗ и Програма ПУНПТ“

# ОТОРИЗАЦИОННО ПИСМО

Уважаеми Дами и Господа,

С настоящото писмо оторизираме фирма Лирекс БГ ООД да участва в посочената по-горе процедура, като има правото да продава и поддържа гаранционно и следгаранционно предложената техника DEVELOP.

ОТОРИЗАЦИОННО ПИСМО

С уважение,


Елена Дречева-Владиминова  
Изпълнителен директор  
Коника Минолта Бизнес Солюшънс България ЕООД

26.07.2016 г.  
гр. София

**DEVELOP**


Dynamic balance

[www.develop.eu](http://www.develop.eu)




# ineo<sup>+</sup> 454e

- > Colour
- A3 multifunctional
- > Up to 45 ppm



Finishing functionalities



ineo<sup>+</sup> 454e

A3 multifunctional with 45 ppm b/w and colour. Standard ineo print controller with PCL 6c, PostScript 3, PDF 1.7 and XPS support. Paper capacity of 500 + 500 sheets and 150-sheet manual bypass. Media from A6 to SRA3, 1.2 m banner and 52–300 g/m<sup>2</sup>. 2 GB memory, 250 GB hard disk and Gigabit Ethernet standard.

PC-110 1 x Universal tray	A5–A3, 500 sheets, 52–256 g/m <sup>2</sup>
PC-210 2 x Universal tray	A5–A3, 2 x 500 sheets, 52–256 g/m <sup>2</sup>
PC-410 Large capacity tray	A4, 2,500 sheets, 52–256 g/m <sup>2</sup>
LU-204 Large capacity tray	A4–SRA3, 2,500 sheets, 52–256 g/m <sup>2</sup>
LU-301 Large capacity tray	A4, 3,000 sheets, 52–256 g/m <sup>2</sup>
DK-510 Copier desk	Provides storage space for print media and other materials
F5-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit for F5-533	2/4 hole punching, autoswitching
F5-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output
F5-534SD Booklet finisher	50-sheet staple finisher, 20-sheet booklet finisher.
RU-513 Relay unit for F5-534/SD	For F5-534/SD installation
PK-520 Punch kit for F5-534/SD	2/4 hole punching, autoswitching
JS-506 Job separator	Separation for fax output etc.
OT-506 Output tray	Output tray used instead of finisher
TP-101 10-key pad	For use instead of touchscreen
WT-506 Working table	Authentication device placement
FK-511 Fax board	Super G3 fax, digital fax functionality

IC-414 Fiery controller	Professional colour print controller
VI-506 Interface kit for IC-414	Fiery controller interface card
KH-102 Keyboard holder	To locate USB keyboard
EK-606 USB I/F kit	USB keyboard connection
EK-607 USB I/F kit	USB keyboard connection, Bluetooth
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
AU-102	Finger vein scanner
Biometric authentication	
SC-508 Security kit	Copy Guard function (2 x required)
BT-C1e Banner tray	Multipage banner feeding
LK-101 v3 Web browser	Web browser and IWS
LK-102 v3 PDF enhancements	PDF/A (1b), PDF encryption, digital signature
LK-105 v3 OCR text recognition	Searchable PDF and PPTX, PDF/A (1a)
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110	Generates various file formats incl. DOCX, XLSX and PDF/A
Document converter pack	
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-115 TPM activation	Trusted Platform Module for protection of data encryption and decryption
UK-204 i-Option memory	Memory extension for i-Options
UK-208 Wireless LAN	Required for ineo Remote Access on Android and iOS and for Wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector

## Technical specifications

## SYSTEM SPECIFICATIONS

System memory	2,048 MB (standard)
System hard disk	250 GB (standard)
Interface	10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4 / IPv6); IPX/SPX; NetBEUI; AppleTalk (EtherTalk); SMB; LPD; IPP; SNMP; HTTP
Frame types	Ethernet 802.2; Ethernet.802.3; Ethernet II; Ethernet SNAP
Automatic document feeder	Up to 100 originals; A6–A3; 35–163 g/m <sup>2</sup> , Dual scan ADF
Printable paper size	A6–SRA3, customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m <sup>2</sup>
Paper input capacity	Standard: 1,150 sheets Max.: 6,650 sheets
Tray 1	500 sheets, A5–A3, 52–256 g/m <sup>2</sup>
Tray 2	500 sheets, A5–SRA3, 52–256 g/m <sup>2</sup>
Tray 3 (optional)	1 x 500 sheets, A5–A3, 52–256 g/m <sup>2</sup>
Tray 4 (optional)	2 x 500 sheets, A5–A3, 52–256 g/m <sup>2</sup>
Large capacity tray (optional)	2,500 sheets, A4, 52–256 g/m <sup>2</sup>
Large capacity tray LU-301 (optional)	3,000 sheets, A4, 52–256 g/m <sup>2</sup>
Large capacity tray LU-204 (optional)	2,500 sheets, A4–SRA3, 52–256 g/m <sup>2</sup>
Manual bypass	150 sheets, A6–SRA3, custom sizes, banner, 60–300 g/m <sup>2</sup>
Automatic duplexing	A5–SRA3; 52–256 g/m <sup>2</sup>
Finishing modes (optional)	Offset; group; sort; staple; punch; centre-fold; letter fold; booklet
Output capacity (with finisher)	Max.: 3,300 sheets
Output capacity (without finisher)	Max.: 250 sheets
Stapling	Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m <sup>2</sup> )
Stapling output capacity	Max. 1,000 sheets
Letter fold	Up to 3 sheets
Letter fold capacity	Max.: 30 sheets; unlimited
Booklet	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m <sup>2</sup> )

Booklet output capacity	Max.: 100 sheets; unlimited
Copy/print volume (monthly)	Rec.: 30,000 pages; max. <sup>(1)</sup> : 150,000 pages
Toner lifetime	Black 27,500 pages; CMY 26,000 pages
Imaging unit lifetime	Black 130,000 pages/600,000 pages (Drum/Developer) CMY 95,000 pages/600,000 pages (Drum/Developer)
Power consumption	220–240 V / 50/60 Hz; less than 1.5 kW (system)
System dimensions (W x D x H)	615 x 685 x 921 mm (excl. lower paper tray unit)
System weight	Approx. 101 kg

## COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy, tandem, indirect
Toner system	HD polymerised toner
Copy/print speed A4 (mono/colour)	Up to 45 ppm
Copy/print speed A3 (mono/colour)	Up to 22 ppm
Autoduplex speed A4 (mono/colour)	Up to 45 ppm
1st copy out time (mono/colour)	4.6 sec. / 5.5 sec.
Warm-up time	Approx. 25 sec. <sup>(2)</sup>
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	A5–A3
Magnification	25–400 % in 0.1 % steps; auto-zooming
Copy functions	Chapter; cover and page insertion; proof copy (print and screen); adjustment test print; digital art functions; job setting memory; poster mode; image repeat; overlay (optional); stamping; copy protection

<sup>1</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed.

<sup>2</sup> Warm up time may vary depending on the operating environment and usage

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi; 1,200 x 1,200 dpi
Page description language	PCL6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows Vista (32/64), Windows 7 (32/64) Windows 8 (32/64), Windows 10 (32/64) Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Macintosh OS X 10.x, Unix, Linux, Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of PCL, PS, TIFF, XPS, PDF (v1.7), encrypted PDF files and OOXML (DOCX, XLSX, PPTX); mixmedia and mixplex; "Easy Set" job programming; overlay; watermark; copy protection; carbon copy print
Mobile Printing	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), WiFi Direct (optional), ineoPRINT (iOS & Android)

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-414
Controller CPU	Intel Pentium @ 2.6 GHz
Memory / HDD	2 GB / 160 GB
Page description language	Adobe PostScript 3 (CPSI 3019); PCL 6/5c
Operating systems	Windows Vista (32/64), Windows 7 (32/64), Windows 8 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Macintosh OS 9.x/10.x

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 160 ipm (with optional DF-701)
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-E-mail (Scan-to-Me), Scan-to-SMB (Scan-to-Home), Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan
File formats	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable DOCX/XLSX/PPTX (optional)
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF; up to 400 job programs; real-time scan preview

FAX SPECIFICATIONS


Fax standard	Super G3 (optional)
Fax transmission	Analog; i-Fax, Colour i-Fax (RFC3949-C), IP-Fax
Fax resolution	Max.: 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Polling; time shift; PC-Fax; receipt to confidential box; Receipt to E-mail/FTP/SMB; up to 400 job programs

USER BOX SPECIFICATIONS

Max. storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling
User box functionality	Reprint; Combination; Download; Sending (E-mail/FTP/SMB and Fax); Copy box to box

SYSTEM FEATURES

Security	ISO15408/IEEE 2600.1 certified; IP filtering and port blocking; SSL2; SSL3 and TLS1.0 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Hard disk overwrite (8 standard types); Hard disk data encryption (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption; copy protection (Copy Guard, Password Copy) optional
Accounting	Up to 1,000 user accounts; Active Directory support (user name + password + E-mail + smb folder); User function access definition; Biometric authentication (finger vein scanner) optional ID card authentication (ID card reader) optional
Software	store+find (opt.), convert+share (opt.), Personal Applications (opt.), Enterprise Suite (opt.), Data Administrator (user accounts & cost centres), Card solutions (opt.), Unix/Linux support, SAP support, EveryonePrint (opt.), PCounter (opt.)



DEVELOP

For more information regarding the ineo+ 454e please refer to the respective product homepage

Konica Minolta Business Solutions Europe GmbH  
Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu

All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m<sup>2</sup> unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m<sup>2</sup> unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

April 2016



KONICA MINOLTA

съгласно ISO/IEC 17050-1 и EN 17050-1

### ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

Долуподписаният  
Коника Минолта Бизнес Солюшънс България ЕООД  
Адрес: София 1766, Младост 4, Бизнес Парк София сграда 8А, етаж 7  
Лице за контакти: Елена Дречева-Владиминова  
Телефон: 0700 420 22  
Електронна поща: info@konicaminolta.bg

### ДЕКЛАРИРАМ

на своя отговорност, че продукта и спомагателните устройства към него:

Марка: Develop  
Вид: Цветна мултифункционална система  
Модел: ineo+454e  
Производител: Konica Minolta Business Technologies, Inc  
Адрес: 2-7-2 Marunouchi, Chiyoda-Ku, Tokyo 100-7014 Japan

са в съответствие с Наредба за съществените изисквания и оценяване съответствието на радиосъоръжения – ДВ, бр. 32/2016 г. ), и са в съответствие със следните Директиви на ЕС:

- |                   |   |
|-------------------|---|
| [LVD] 2014/35/EU  | - Low Voltage Directive / Product Safety        |
| [EMC] 2014/30/EU  | - EMV Directive / Electromagnetic Compatibility |
| [R&TTE] 1999/5/EC | - R&TTE Directive / Telecommunication directive |
| [ErP] 2009/125/EC | - ErP Directive / Eco-design                    |
| [RoHS] 2011/65/EC | - RoHS2 directive                               |

Както и са в съответствие с изискванията на стандартите:

- |                                     |   |
|-------------------------------------|---|
| Safety tests:                       | EN 60950-1: 2006, EN60825-1: 2014   |
| Electromagnetic Fields (EMF)        | EN62311: 2008   |
| Electromagnetic compatibility (EMC) | EN 55022, EN 55024, EN 61000-3-2, EN 61000-3-3, IEC 61000-3-3                                 |
| Eco-Design                          | 1275 / 2008 / EC  |
| RoHS:                               | EN50581:2012  |
| Telecommunication                   | ES 203 021-1 V2.1.1 (2005-08), ES 203 021-2 V2.1.2 (2006-01)<br>ES 203 021-3 V2-1.2 (2006-01) |

Място и дата: София, 5.08.2016 г.

Подпис


Име и длъжност: Елена Дречева-Владиминова, Изпълнителен Директор

Giving Shape to Ideas



137





Превод от английски език

София 1784, Младост-1, 54А  
факс: +359 2 9 691 599  
тел.: +359 2 9 691 598  
office@teza.bg; www.teza.bg



Лого: **NEC**

До: Министерство на здравеопазването

Относно: Открита процедура за възлагане на обществена поръчка за „Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на Министерство на здравеопазването и програма „Подобряване на устойчивостта на националната програма по туберкулоза“

## ОТОРИЗАЦИОННО ПИСМО

Ние, НЕК Дисплей Солушънс ГмбХ [NEC Display Solutions GmbH], Ландшутер Алее 12-14, 80637 Мюнхен, като производител на оборудване с марка NEC, надлежно оторизираме

Лирекс БГ ООД, България, 1712 София, Младост 3, бл. 306, вх.2

Да предлагат и препродават продукти с марка NEC на Министерството на здравеопазването, съгласно горепосочения публичен търг.

Потвърждаваме, че:

- Нашите продукти, предлагани ви от Лирекс БГ ООД, са нови, не са използвани и са в актуалната ни продуктова листа.
- Екипът на Лирекс БГ ООД е квалифициран и обучен да внедрява и поддържа нашите продукти по време на гаранционния им период, за което съответно ще има нашата подкрепа.

Поздрави,

Име: Йоанна Швабе [Joanna Schwabe]

Позиция: Координатор продажби

Подпис: (не се чете)

Печат: (печат на НЕК Дисплей Солушънс ГмбХ [NEC Display Solutions GmbH])


Дата: 25.07.2016 г.

Удостоверявам верността на извършения от мен превод от английски на български език на приложен документ /Оторизационно писмо от NEC/. Преводът се състои от 1 стр.

Преводач: Румяна Лъчезарова Спасова-Александрова /печат/



**NEC**



To: Ministry of health

**Concerning:** open competition to award a public contract for "Purchase of computer and office equipment for the needs of the Ministry of Health and the program" Improving the sustainability of the national program on tuberculosis"

**AUTHORIZATION LETTER**

We, NEC Display Solutions Europe GmbH, Landshuter Allee 12 – 14, 80637 München

as a manufacturer of equipment with brand name NEC duly authorize

Lirex BG Ltd, Bulgaria, 1712 Sofia, Mladost 3, bl. 306, en. 2

to offer and resell NEC branded products to Ministry of health according to the aforementioned public tender.

We confirm that:

- our products, offered to you by Lirex BG Ltd. are new, they are not used and they are in our current manufacturing list

- Lirex BG Ltd. team is qualified and trained to implement and maintain our products in their warranty period and it will be supported by us accordingly.

Best regards,


Name Joanna Schwabe

Position Sales Coordinator

Sign 

Stamp ..... NEC Display Solutions Europe GmbH  
Landshuter Allee 12-14  
D-80637 München/Germany  
Tel. + 49-89-99699-0  
Fax + 49-89-99699-500



Date: 25.07.2016



# NEC M403W

Order Code: 60003978

NEC Professional Desktop Projector



The excellent price performance ratio makes this projector especially suitable for classrooms and mid sized meeting rooms. The filter free design with dust-protected DLP light engine, very long lamp life and low power consumption results into remarkably low cost of ownership. Various innovative new ECO functions such as the Ambient Light Sensor help to significantly reduce power consumption.

The optional DisplayNote Presenter licence adds the possibility for interactive, mobile presentation with tablets.

## BENEFITS

**Connect and share** - with up to 40 wireless devices with the NEC Image Express Utility (Windows & MAC) as well as Wireless Image Utility (iOS & Android) software.

**Maximum flexibility** - due to large 1.7x optical zoom, horizontal and vertical keystone correction.

**Robust and dust resistant** - thanks to sealed DLP light engine.

**Low cost of ownership** - up to 8000h lamp life, low power consumption.

**Great connectivity** - due to numerous analog and digital connection terminals as well as network capability.



NaViSet  
Administrator 2

**NEC M403W - Technical Specification**

<b>IMAGE</b>	Projection Technology	i-chip DLP™ Technology	
	Native Resolution	1280 x 800 (WXGA)	
	Aspect Ratio	16:10	
	Contrast Ratio	10000:1	
	Brightness	4000 ANSI Lumen (approx. 75% in Eco Mode)	
	Lamp	270 W AC (162 W AC Eco Mode)	
	Lamp Life (hrs)	8000 Eco / 5500 Normal / 3500 High Bright Mode	
	Lens	F= 2.4-3.1, f= 17.09-29.05 mm	
	Keystone correction	+/- 25° manual horizontal / +/- 30° automatic / manual vertical	
	Projection Angle [°]	10.5 - 17.6	
	Projection Factor	1.2 - 2.04 : 1	
	Projection Distance [m]	0.76 - 13.53	
	Screen Size (diagonal) [cm] / [inch]	76.2 / 30" - 762 / 300"	
	Zoom	Manual	
	Focus Adjustment	Manual	
	Supported Resolutions	1920 x 1080 (HDTV 1080i/60; HDTV 1080i/50); 1680 x 1050 (WSXGA+); 1600 x 1200 (UXGA); 1600 x 900 (WXGA+); 1440 x 900 (WXGA+); 1400 x 1050 (SXGA+); 1366 x 768 (WXGA); 1360 x 768 (WXGA); 1280 x 1024 (Maximum resolution of digital input); 1280 x 1024 (SXGA); 1280 x 1024 (MAC 23"); 1280 x 960 (SXGA); 1280 x 800 (WXGA); 1280 x 768 (WXGA); 1280 x 720 (HDTV 720p); 1152 x 870 (MAC 21"); 1152 x 864 (XGA); 1024 x 768 (XGA); 832 x 624 (MAC 16"); 800 x 600 (SVGA); 720 x 576 SDTV 480p/480i; 720 x 576 (DVD progressive); 720 x 480 SDTV 576p/576i; 720 x 480 (SDTV 480p); 640 x 480 (VGA/MAC 13")	
	Frequency	Horizontal: 15-100 kHz (RGB: 24 kHz-100 kHz); Vertical: 50 - 120 Hz	
	<b>CONNECTIVITY</b>	RGB (analog)	Input: 1 x Mini D-sub 15-pin, compatible to component (YPbPr) Output: 1 x Mini D-sub 15 pin
		HDMI	Input: 2 x HDMI™ (Deep Color, Lip sync)
		Video	Input: 1 x RCA
Audio		Input: 1 x 3.5 mm Stereo Mini Jack; 1 x RCA Stereo Output: 1 x 3.5 mm Stereo Mini Jack (variable)	
Microphone		Input: 1 x 3.5 mm Monaural Mini Jack (Dynamic mic / Condenser mic)	
Control		Input: 1 x D-Sub 9 pin (RS-232) (male)	
LAN		1 x RJ45; Optional WLAN	
USB		1 x Type A (USB 2.0 high speed); 1 x Type B	
3D Sync		Output: 1 x Mini DIN 3pin	
Video Signals		NTSC; NTSC 4.43; PAL; PAL-M; PAL60; SECAM	
<b>REMOTE CONTROL</b>	Remote Control	Aspect Ratio; Audio Control; Auto Adjust; Automatic Picture Adjustment; AV Mute; Digital Zoom; Freeze; Help Eco Mode; ID set; Keystone Correction; Lamp Mode Control; Magnify-function; Optional Presentation and Mouse Control; Picture Adjust; Source Select	
<b>ELECTRICAL</b>	Power Supply	100-240 V AC; 50 - 60 Hz	
	Power Consumption [W]	278 (Normal) / 246 (Eco) / 2.9 (Network Stand-by) / 0.4 (Stand-by); 335 (High Bright)	
<b>MECHANICAL</b>	Dimensions (W x H x D) [mm]	367.9 x 97.5 x 285.9 (without lens and feet)	
	Weight [kg]	3.6	
	Fan Noise [dB (A)]	30 / 30 / 36 (ECO / Normal / High Bright)	
<b>ENVIRONMENTAL CONDITIONS</b>	Operating Temperature [°C]	5 to 40	
	Operating Humidity [%]	20 to 80	
	Storage Temperature [°C]	-10 to 50	
	Storage Humidity [%]	20 to 80	
<b>ERGONOMICS</b>	Safety and Ergonomics	CE; EAC; Gost-R; RoHS; TÜV GS	
	Speakers [W]	1 x 20 (mono)	
<b>ADDITIONAL FEATURES</b>	Special Characteristics	Ambient Light Sensor; Auto Eco Mode; Auto Power-ON Function; Carbon Savings Meter; Colour Management; Constant Brightness Mode; Content Transmission via Network; Crestron RoomView; DICOM Simulation; Direct Power-Off Function; Full 3D DLP™ LINK support; High Altitude Mode; Kensington security slot; Keypad Lock; Magnify; NaViSet Administrator 2; Off-Timer; Optional User Logo; Optional WLAN; OSD with 29 languages; Password Security System; Quick Start; Remote control and administration via LAN and RS232; Security Bar; Simple Access Point; USB Viewer for JPEG; Virtual Remote for direct PC control; Wall Colour Correction	
<b>GREEN FEATURES</b>	Energy Efficiency	75 % AV mute function; Auto ECO Mode; ECO scheduler; Green one touch ECO and AV mute button; ImageCare® Technology; Intelligent Power Management; Longer lamp life; Reduced power consumption. Only 0.4W stand-by; Software scheduling	
	Ecological Materials	100% recyclable packaging; Downloadable manuals; ECO packaging	
	Ecological Standards	ErP compliant; RoHS compliant; WEEE	
<b>WARRANTY</b>	Projectors	3 years pan-European service	
	Light Source	6 months, max. 1000 hrs	
<b>SHIPPING CONTENT</b>	Shipping Contents	IR Remote Control (RD-469E); Mini D-SUB Signal Cable; Power Cord (1.8 m); Quick Setup Guide; Security Sticker; Soft Case; Users Manual on CD-ROM	
<b>OPTIONAL ACCESSORIES</b>	Optional Accessories	3D Starter Kit (PJ02SK3D); Cable Cover (NP05CV); DisplayNote; DLP-Link 3D Glasses (NP02GL, VolfontiFit); Lamp (NP30LP); Universal Ceiling Mounts (PJ01UCM); Wireless LAN module (NP05LM)	

<sup>1</sup> Compliance with ISO21118-2005

## ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

Декларираме, че продуктът

Прожектор:

**NP-M403H, NP-M323H, NP-M403W, NP-M403X, NP-M363W, NP-M363X,  
NP-M323W, NP-M323X, NP-M283X, NP-M353WS, NP-M333XS, NP-M303WS  
Optional Lamp: NP30LP, NP29LP, NP28LP, NP27LP**

е в съответствие с:

### 2004/108/ЕО ДИРЕКТИВА EMC

**EN 61000-3-2**

Електромагнитна съвместимост (EMC)- Части 3-2:Граници - Граници за хармонични текущи емисии (оборудване с входящ ток до включително 16А на фаза)

**EN 61000-3-3**

Електромагнитна съвместимост (EMC)- Части 3-3:Граници - Граници за промени в напрежението, колебания и трептения при обществени системи за захранване с ниско напрежение за оборудване с номинален ток по-малък или равен на 16А на фаза, без условно свързване)

**EN 55024**

ИКТ оборудване – характеристики на имунитет – Ограничения и методи за измерване

**EN 55022**

ИКТ оборудване – Характеристики на радио смущенията – Ограничения и методи за измерване. Данни, съответстващи на изискванията за Клас Б

### 2006/95/ЕО Директива за ниското напрежение

EN 60950-1

ИКТ оборудване – Безопасност – Част 1: Общи изисквания

### 2009/125/ЕО Директива за екодизайн към продукти, свързани с енергопотреблението

EC № 1275/2008

EN50564:2011

### 2011/65/ЕС Директива

EN50581:2012

Маркировка за съответствие:

CE

### Производител:

НЕК Дисплей Солушънс

Канагава 258-8533, Япония

NEC Display Solutions, Ltd.

686-1, NISHIOI, OI-MACHI

ASHIGARAKAMI-GUN,

KANAGAWA 258-8533, JAPAN

Дата: 8 юли 2015

Подпис: (не се чете)

Начико Шимацу, Старши мениджър



EN61000-3-2, EN61000-3-3, EN55024	и EN55022 са тествани от	SHENZHEN EMTEK CO., LTD.
- EN61000-3-2:2006+A1:2009+A2:2009	Дата: 12 май 2015	Ref. No.: <u>ES150413118E</u>
- EN61000-3-3:2008	Дата: 12 май 2015	Ref. No.: <u>ES150413118E</u>
- EN55024:2010	Дата: 12 май 2015	Ref. No.: <u>ES150413118E</u>
- EN55022:2010+AC:2011 Class B	Дата: 12 май 2015	Ref. No.: <u>ES150413118E</u>
EN60950-1 Е тестван от		SHENZHEN EMTEK CO., LTD.
- EN60950-1:2006+A11:2009+A1:2010+A12:2011	Дата: 30 май 2015	Ref. No.: <u>ES150413118S</u>
EN50564 Е тестван от		SHENZHEN EMTEK CO., LTD.
- EN50564:2011	Дата: 19 май 2015	Ref. No.: <u>ES150422254S</u> — <u>ES150422265S</u>
Сертификат за съответствие за RoHS		
-EN50581:2012	Дата: 1 юли 2015	Ref. No.: <u>FBA15062</u>
-EN50581:2012	Дата: 14 януари 2014	Ref. No.: <u>FBA14002</u>
-EN50581:2012	Дата: 25 февруари 2014	Ref. No.: <u>FBA14022</u>

Удостоверявам верността на извършения от мен превод от английски на български език на приложения документ /Декларация за съответствие /. Преводът се състои от 2 стр.

Преводач: Румяна Лъчезарова Спасова-Александрова

подпис: ..... /печелу



*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



# Declaration of Conformity

We declare that the product  
**Projector:**

**NP-M403H, NP-M323H, NP-M403W, NP-M403X, NP-M363W, NP-M363X,  
NP-M323W, NP-M323X, NP-M283X, NP-M353WS, NP-M333XS, NP-M303WS**  
**Optional Lamp: NP30LP, NP29LP, NP28LP, NP27LP**  
is in conformity with

## 2004/108/EC EMC Directive

- EN 61000-3-2 : Electromagnetic compatibility(EMC) – Part 3-2:Limits – Limits for harmonic current emissions (equipment input current up to and including 16A per phase)
- EN 61000-3-3 : Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16A per phase and not subject to conditional connection.
- EN 55024 : Information technology equipment – Immunity characteristics – Limits and methods of measurement
- EN 55022 : Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement. The data comply with Class B requirement.

## 2006/95/EC LVD Directive

- EN 60950-1 : Information technology equipment – Safety – Part 1: General requirements.

## 2009/125/EC Erp Directive

- EC No.1275/2008  
EN50564:2011

## 2011/65/EU Directive

- EN50581:2012

EC conformity marking :



## Manufacturer :

NEC Display Solutions, Ltd.  
686-1, NISHIOI, OI-MACHI  
ASHIGARAKAMI-GUN,  
KANAGAWA 258-8533, JAPAN

Signature:

Naohiko Shimazu, Senior Manager

Date: July 8, 2015.

EN61000-3-2, EN61000-3-3, EN55024 and EN55022 were tested by SHENZHEN EMTEK CO., LTD.

- |                                    |                           |                               |
|------------------------------------|---------------------------|-------------------------------|
| - EN61000-3-2:2006+A1:2009+A2:2009 | Date: <u>May 12, 2015</u> | Ref. No.: <u>ES150413118E</u> |
| - EN61000-3-3:2008                 | Date: <u>May 12, 2015</u> | Ref. No.: <u>ES150413118E</u> |
| - EN55024:2010                     | Date: <u>May 12, 2015</u> | Ref. No.: <u>ES150413118E</u> |
| - EN55022:2010+AC:2011 Class B     | Date: <u>May 12, 2015</u> | Ref. No.: <u>ES150413118E</u> |

EN60950-1 was tested by SHENZHEN EMTEK CO., LTD.

- |  |                           |                               |
|--|---------------------------|-------------------------------|
| - EN60950-1:2006+A11:2009+A1:2010+A12:2011 | Date: <u>May 30, 2015</u> | Ref. No.: <u>ES150413118S</u> |
|--|---------------------------|-------------------------------|

EN50564 was tested by SHENZHEN EMTEK CO., LTD.

- |                |                           |   |
|----------------|---------------------------|---|
| - EN50564:2011 | Date: <u>May 19, 2015</u> | Ref. No.: <u>ES150422254S</u> ----- <u>ES150422265S</u> |
|----------------|---------------------------|---|

RoHS Certificate of Compliance

- |               |                                |
|---------------|--------------------------------|
| -EN50581:2012 | Date: <u>July 1, 2015</u>      |
| -EN50581:2012 | Date: <u>January 14, 2014</u>  |
| -EN50581:2012 | Date: <u>February 25, 2014</u> |

- |                           |
|---------------------------|
| Ref. No.: <u>FBA15062</u> |
| Ref. No.: <u>FBA14002</u> |
| Ref. No.: <u>FBA14022</u> |



Лирекс БГ ООД  
1712 София, ж.к. Младост 3, бл. 306  
Телефон: 02/ 9 691 691, Факс: 02/ 9 691 692  
www.lirex.bg

ЕИК: 121057952  
Банка: Алианс Банк България АД  
IBAN: BG4680101010007719



## ДЕКЛАРАЦИЯ

Долуподписаната: **Димитринка Иванова Илиева**  
(*трите имена*)  
в качеството си на **Управител**  
(*длъжност*)  
на **„Лирекс БГ“ ООД** -  
(*наименование на участника*)

участник в процедура за възлагане на обществена поръчка с предмет: **„Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на Министерство на здравеопазването и програма „Подобряване на устойчивостта на националната програма по туберкулоза“**,

## ДЕКЛАРИРАМ, ЧЕ:

Предлаганата от нас техника, предмет на обществената поръчка отговаря на стандарта ENERGY STAR®.

ДАТА: 05.08.2016 г.

ПОДПИС И ПЕЧАТ:

/Димитринка Илиева / Управител /



Отговорил: Е. Каралашева  
Съгласувал: С. Джурелов

Б. Рачков



Лирекс БГ ООД  
1712 София, ж.к. Младост 3, бл. 306  
Телефон: 02/ 9 691 691, Факс: 02/ 9 691-692  
www.lirex.bg

ЕИК: 121057952  
Банка: Алианс Банк България АД  
IBAN: BG4680101010007719



### ДЕКЛАРАЦИЯ

Долуподписаната: **Димитринка Иванова Илиева**  
(трите имена)  
в качеството си на **Управител**  
на (длъжност)  
„Лирекс БГ“ ООД -  
(наименование на участника)

участник в процедура за възлагане на обществена поръчка с предмет: **„Закупуване и гаранционна поддръжка на компютърна, офис и сървърна техника и периферни устройства за нуждите на Министерство на здравеопазването и програма „Подобряване на устойчивостта на националната програма по туберкулоза“**,

### ДЕКЛАРИРАМ, ЧЕ:

Всички предлагани настолни компютри са сертифицирани за работа с операционната система Windows 10 по процедурата на Microsoft и фигурират в сайта на Microsoft: <https://sysdev.microsoft.com/en-US/Hardware/LPL/default.aspx>

Обособена позиция 1: Доставка и гаранционна поддръжка на компютърна техника и периферия	
1	Компютърна конфигурация FUJITSU Desktop ESPRIMO P756/E85+ FUJITSU Display E24T-7 Pro <a href="https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-ESPRIMO-P756-E85.pdf">https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-ESPRIMO-P756-E85.pdf</a> <a href="https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-display-e24T-7-pro.pdf">https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-display-e24T-7-pro.pdf</a> <a href="https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1756889">https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1756889</a> <a href="https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1739105">https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1739105</a>
2	Компютърна конфигурация FUJITSU Desktop ESPRIMO P756/E85+ FUJITSU Display E24T-7 Pro <a href="https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-ESPRIMO-P756-E85.pdf">https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-ESPRIMO-P756-E85.pdf</a> <a href="https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-display-e24T-7-pro.pdf">https://sp.ts.fujitsu.com/dmsp/Publications/public/ds-display-e24T-7-pro.pdf</a> <a href="https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1756889">https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1756889</a> <a href="https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1739105">https://sysdev.microsoft.com/bg-BG/Hardware/LogoVerificationReport.aspx?sid=1739105</a>

ДАТА: 05.08.2016 г.

ПОДПИС И ПЕЧАТ:



/Димитринка Иванова Илиева - Управител/

Изготвил: Р. Каралашева  
Съгласувал: С. Джурелов

Иванова  
B